



INNOVATIVE CUSTOM SOLUTIONS

tel 508.676.5169 / toll free 800.606.5169 / fax 508.861.0105
www.midlite.com



We are growth oriented:

We continue to innovate and develop unique custom products, hold patent positions and leverage the patents into new applications. We provide competitive pricing by outsourcing manufacturing locally and abroad. Our customers are supported by well-organized and managed warehousing. Regardless the size of your distribution or order fulfillment needs we can maintain inventory levels to meet your demand through our growing distribution network.

Business Principles:

We believe that distributors' who do business strictly on price and margin and not consider the product quality and design features eventually will end with the least desired products and profit margins. And in the end, will have a harder time differentiating themselves from the competition and become less competitive and less likely to grow.

This edict has guided MIDLITE to follow these business principles: 1. Lead in innovative product design, 2. Establish competitive pricing based on value versus utility, not by being the least expensive. 3. Design products that differentiate the MIDLITE brand from the competition, 4. Strive for product excellence, 5. Focus continuous improvement on all aspect of business, 6. Manufacture quality products, and most important, 7. Provide more value in our product design and services than the competition.

Business Charter and Responsibility:

Our business charter is to deliver quality innovative products at a great value that are easy to install, provide flexibility in the field, that make the installation aesthetically pleasing, brand MIDLITE to product quality, and of course to save the installer money in labor and material content.

Environmental Responsibility:

We design products with an "environmentally conscious being" by recognizing the features of a product application and designing them with engineering integrity and with the least material content possible. We believe over-sized products in any product category that consume excess components, plastic and metal are not better but wasteful. Help us bring environmental consciousness to the markets we serve by buying MIDLITE's products.



Custom 360° Right Angle HDMI Adaptor and Wall Plate

(Patent Pending)


- Custom adaptor rotates 360° in increments of 45° to align connector with cable path
- Adaptor is gangable to fit two in a HDMI-1GXX plate for "an in the field solution" and minimize inventory carrying cost
- Connector and Cable HDMI 1.3a Certified, UL CL3 rated cable for in wall use
- Field tested to be used in applications up to 11 meters
- Wall Plate made of High Impact ABS to resist cracking
- Incorporates Splitplate™ patented wall plate design with snap fit connection
- Contractor size (3.15" w x 4.19" h) wall plate to cover up all surface imperfections surrounding low voltage box edges
- Supported resolution 480p, 720p, 1080i, and 1080p
- Available in White, Light Almond, Ivory, and Black
- Sold individually or in master packs of 25

NEW!



Align connector with cable path and minimize strain relief at the interconnect!

Excellent for ceiling projectors and future installs where cable path is not known.



Add a second adaptor easily with the In Field cut away panel!




C360A-7-WH



HDMI-1GWH

Table of Contents

Custom 360°™ HDMI	3	Wireport™ Plates	8
Power+Port™ Kit – HDTV Power Solution	4	Splitport™ Plates	10
Décor Recessed Receptacle and Power Inlet	6	Cable Management	11
Metal Wireport™ and Splitport™ Plates	7	Fasteners and Hardware	12



Part No.	Description
Custom 360° HDMI Adaptor	
C360A-7-WH	White Custom 360° HDMI Adaptor, w/screw hardware
C360A-7-LA	Light Almond Custom 360° HDMI Adaptor, w/screw hardware
C360A-7-IV	Ivory Custom 360° HDMI Adaptor, w/screw hardware
C360A-7-BK	Black Custom 360° HDMI Adaptor, w/screw hardware
Custom 360° HDMI Wall Plate	
HDMI-1GWH	White Custom 360° HDMI Wall Plate, w/screw hardware
HDMI-1GLA	Light Almond Custom 360° HDMI Wall Plate, w/screw hardware
HDMI-1GIV	Ivory Custom 360° HDMI Wall Plate, w/screw hardware
HDMI-1GBK	Black Custom 360° HDMI Wall Plate, w/screw hardware

NEW!



Power+Port™ Kit — HDTV Power Solution


(Patent Pending)

Use MIDLITE's® innovative patent pending Power+Port™ Kit — HDTV Power Solution, 125V, 15 amp to install power and low voltage cables behind your flat panel TV and audio and video devices.

- Provides an affordable in wall power solution behind flat panel TVs
- Perfect for retro-fit construction projects
- Includes 5 year warranty
- Conforms to UL STD 514D and Certified CSA 22.2 42.1-00 Meets National Electric Code Requirements
- Can be used with remote Surge/Power Conditioner to HDTV
- Available in White, Light Almond, Ivory, and Black

Power+Port™ HDTV Power Wall Plate Kit, includes:

- A. 2-Gang Splitplate End, Recessed Receptacle and Wireport with Grommet (qty 1)
- B. 2-Gang Splitplate End, Power Inlet and Wireport with Grommet (qty 1)
- C. 2-Gang Dual Voltage Retro Work PVC boxes (qty 2)
- D. 14 gauge, 15 amp Black Power Cord (qty 1)



Perfect for your Flat Panel Installations!

Part No. Description

Power+Port™ Kit - HDTV Power Solution

A2GESR-W	White Power+Port™ Kit - HDTV Power Solution, w/screw hardware
A2GESR-LA	Light Almond, Power+Port™ Kit - HDTV Power Solution, w/screw hardware
A2GESR-I	Ivory, Power+Port™ HDTV Kit - HDTV Power Solution, w/screw hardware
A2GESR-B	Black, Power+Port™ HDTV Kit - HDTV Power Solution, w/screw hardware



Power+Port™ — HDTV Power Solution Components



Power+Port™ — HDTV Power Solution Components

Part No.	Description	Grommet Hole Size (Diameter)	Grommet Hole Area (Sq. In.)
Splitplate Wireport™ with Grommet			
2GESR-GR10-W	2-Gang White Splitplate End, Wireport™ with Grommet, w/screw hardware	1.425"	1.59"
2GESR-GR10-LA	2-Gang Light Almond Splitplate End, Wireport™ with Grommet, w/screw hardware	1.425"	1.59"
2GESR-GR10-I	2-Gang Ivory Splitplate End, Wireport™ with Grommet, w/screw hardware	1.425"	1.59"
2GESR-GR10-B	2-Gang Black Splitplate End, Wireport™ with Grommet, w/screw hardware	1.425"	1.59"
Splitplate Recessed Receptacle			
2GESR-5251-W	2-Gang Splitplate End, Recessed Receptacle, w/screw hardware		
2GESR-5251-LA	2-Gang Light Almond Splitplate End, Recessed Receptacle, w/screw hardware		
2GESR-5251-I	2-Gang Ivory Splitplate End, Recessed Receptacle, w/screw hardware		
2GESR-5251-B	2-Gang Black Splitplate End, Recessed Receptacle, w/screw hardware		
Splitplate Recessed Power Inlet			
2GESR-5266-W	2-Gang White Splitplate End, Recessed Power Inlet, w/screw hardware		
2GESR-5266-LA	2-Gang Light Almond Splitplate End, Recessed Power Inlet, w/screw hardware		
2GESR-5266-I	2-Gang Ivory Splitplate End, Recessed Power Inlet, w/screw hardware		
2GESR-5266-B	2-Gang Black Splitplate End, Recessed Power Inlet, w/screw hardware		
Power + Port™ Power Cord			
3B	Power + Port™ Power Cord, 125V, 15 amp with ground 3 ft., Black		
6B	Power + Port™ Power Cord, 125V, 15 amp with ground 6 ft., Black		

Décor Recessed Receptacle and Power Inlet (Patent Pending)

Use MIDLITE's® innovative patent pending Décor Recessed Receptacle and Power Inlet, 125V, 15 amp to install power and low voltage cables behind your flat panel TV and audio and video devices.

- Provides an affordable in wall power solution behind your flat panel TVs
- Perfect for retro-fit construction projects
- Includes 5 year warranty
- Conforms to UL STD 514D and Certified CSA 22.2 42.1-00 Meets National Electric Code Requirements
- Can be used with remote Surge/Power Conditioner to HDTV
- Available in White, Light Almond, Ivory, and Black



NEW!



Décor Recessed Receptacle and Power Inlet Kit, includes:

- A. 1-Gang Décor Recessed Receptacle (qty 1)
- B. 1-Gang Décor Recessed Power Inlet (qty 1)
- C. 1-Gang Retro Work PVC boxes (qty 2)
- D. 14 gauge, 15 amp Black Power Cord (qty 1)

Part No. Description

Décor Recessed Receptacle and Power Inlet Kit	
A46-W	White, Décor Recessed Receptacle and Power Inlet Kit, w/screw hardware
A46-LA	Light Almond, Décor Recessed Receptacle and Power Inlet Kit, w/screw hardware
A46-I	Ivory, Décor Recessed Receptacle and Power Inlet Kit, w/screw hardware
A46-B	Black, Décor Recessed Receptacle and Power Inlet Kit, w/screw hardware

1-Gang Décor Recessed Receptacle

4641-W	1-gang White Décor Recessed Receptacle, w/screw hardware
4641-LA	1-gang Light Almond Décor Recessed Receptacle, w/screw hardware
4641-I	1-gang Ivory Décor Recessed Receptacle, w/screw hardware
4641-B	1-gang Black Décor Recessed Receptacle, w/screw hardware

1-Gang Décor Power Inlet

4642-W	1-gang White Décor Recessed Power Inlet, w/screw hardware
4642-LA	1-gang Light Almond Décor Recessed Power Inlet, w/screw hardware
4642-I	1-gang Ivory Décor Recessed Power Inlet, w/screw hardware
4642-B	1-gang Black Décor Recessed Power Inlet, w/screw hardware

Power Cord

3B	Power + Port™ Power Cord, 125V, 15 amp with ground 3 ft., Black
6B	Power + Port™ Power Cord, 125V, 15 amp with ground 6 ft., Black



Metal Wireport™ and Splitport™ Plates

Midlite's® industrial metal plates are used where A/V cables pass through the wall such as behind flat panel T.V.s and head end A/V gear. By eliminating the connectors at the wall, the installer reduces labor and material costs and improves signal integrity. Cables can be fed from the floor up and the ceiling down with ease. They are perfect for new and retrofit applications. Plates are made of stainless steel or metal with a powder coat finish.

1 Gang Metal Wireport™ and Splitport™ Plates

- Attaches to standard 1-gang low voltage backless box
- Includes 1" feed-thru opening with Black grommet
- Available in White, Ivory, and Stainless Steel

2 Gang Metal Wireport™ Plates

- Attaches to standard 2-gang low voltage backless box
- Includes 1.625" feed-thru opening with Black grommet
- Available in White and Stainless Steel

Part No. Description

1-Gang Metal Wireport™ Plates

M1GWH	1-gang White Metal Wireport™ Plate with grommet, w/screw hardware	1"	.785"
M1GIV	1-gang Ivory Metal Wireport™ Plate with grommet, w/screw hardware	1"	.785"
M1GS	1-gang Stainless Steel Wireport™ Plate with grommet, w/screw hardware	1"	.785"


1-Gang Metal Splitport™ Plates

M1GSWH	1-gang White Metal Splitport™ with grommet, w/screw hardware	1"	.785"
M1GSIV	1-gang Ivory Metal Splitport™ with grommet, w/screw hardware	1"	.785"
M1GSS	1-gang Stainless Steel Splitport™ with grommet, w/screw hardware	1"	.785"

2-Gang Metal Wireport™ Plates

M2GWH	2-gang White Metal Wireport™ Plate with grommet, w/screw hardware	1.625"	2.07"
M2GSS	2-gang Stainless Steel Wireport™ Plate with grommet, w/screw hardware	1.625"	2.07"

NEW!



Metal Recessed Receptacle

Use MIDLITE's® innovative 125V, 15 amp recessed receptacle to install power and low voltage cables behind your flat panel TV and audio and video devices.


- Provides an affordable power solution for wall mounted flat panel TVs
- Perfect for new and retrofit applications
- UL recognized Receptacle. Meets National Electric Code requirements
- Cables can be fed from the floor up and the ceiling down with ease
- For use with 2-gang dual voltage box (old work or new work)
- Plates are made of stainless steel or metal with a power coat finish
- Includes 1.375" feed-thru opening with Black grommet
- Available in White and Stainless Steel

Part No. Description

2-Gang Metal Recessed Receptacle Plates

M5251W	2-gang White Metal Recessed Receptacle Plate with grommet, w/screw hardware	1.375"	1.484"
M5251SS	2-gang Stainless Steel Recessed Receptacle Plate with grommet, w/screw hardware	1.375"	1.484"

NEW!



Wireport™ Plates

(Patented)

- Used where A/V cables pass through the wall such as behind flat panel T.V.s and head end A/V gear
- By eliminating the connectors at the wall, the installer reduces labor and material costs and improves signal integrity
- Cables can be fed from the floor up and the ceiling down with ease
- Attaches to standard 1-gang and 2-gang low voltage backless box
- Sold individually or in master packs of 25
- Available in White, Almond, Ivory, and Black



Wireport™ Plates with Grommet

(Patented)

- Used where A/V cables pass through the wall such as behind flat panel T.V.s and head end A/V gear
- Attaches to standard 1-gang and 2-gang low voltage backless box
- The grommet insert only opens where cabling is present and maintains a closed clean area
- Cables can be fed from the floor up and the ceiling down with ease
- Sold individually or in master packs of 25
- Available in White, Almond, Ivory, and Black

Part No.	Description	Hole Size (Diameter)	Hole Area (Sq. In.)
1-Gang Wireport™			
1GWH	1-gang White Wireport™ Plate, w/screw hardware	1.56"	1.92"
1GAL	1-gang Almond Wireport™ Plate, w/screw hardware	1.56"	1.92"
1GIV	1-gang Ivory Wireport™ Plate, w/screw hardware	1.56"	1.92"
1GBR	1-gang Brown Wireport™ Plate, w/screw hardware	1.56"	1.92"
1GBK	1-gang Black Wireport™ Plate, w/screw hardware	1.56"	1.92"

Part No.	Description	Hole Size (Diameter)	Hole Area (Sq. In.)
2-Gang Wireport™			
2GWH	2-gang White Wireport™ Plate, w/screw hardware	1.8"	2.54"
2GAL	2-gang Almond Wireport™ Plate, w/screw hardware	1.8"	2.54"
2GIV	2-gang Ivory Wireport™ Plate, w/screw hardware	1.8"	2.54"
2GBR	2-gang Brown Wireport™ Plate, w/screw hardware	1.8"	2.54"
2GBK	2-gang Black Wireport™ Plate, w/screw hardware	1.8"	2.54"

Part No.	Description	Hole Size (Diameter)	Hole Area (Sq. In.)
Décor-Style Wireport™			
DC1WH	White Décor-Style Wireport™ Plate, w/screw hardware	.670 x 1.56	.900
DC1AL	Almond Décor-Style Wireport™ Plate, w/screw hardware	.670 x 1.56	.900
DC1IV	Ivory Décor-Style Wireport™ Plate, w/screw hardware	.670 x 1.56	.900
DC1BK	Black Décor-Style Wireport™ Plate, w/screw hardware	.670 x 1.56	.900

Duplex Receptacle and Wireport™ with Grommet

(Patented)

- Flexibility to consolidate a standard duplex receptacle into a 1 gang Wireport™ plate
- Locate this combination next your home theater equipment, ceiling projector, powered subwoofer, public venues where power and video is passed through the ceiling or wall, and small office environments
- Mounts directly to a dual voltage electrical box
- Plate is contractor size to cover imperfections in and around the sheet rock area
- Available in White, Light Almond, Ivory, and Black

Part No.	Description	Hole Size (Diameter)	Hole Area (Sq. In.)
Duplex Receptacle Plate and Wireport™ with Grommet			
DR2G-GR10-WH	White Duplex Receptacle Plate, w/screw hardware	1.425"	1.59"
DR2G-GR10-LA	Light Almond Duplex Receptacle Plate, w/screw hardware	1.425"	1.59"
DR2G-GR10-IV	Ivory Duplex Receptacle Plate, w/screw hardware	1.425"	1.59"
DR2G-GR10-BK	Black Duplex Receptacle Plate, w/screw hardware	1.425"	1.59"



1GWH



2GWH



DC1



DR2G-GR10-WH

Part No.	Description	Hole Size (Diameter)	Hole Area (Sq. In.)
1-Gang Wireport™ Plate with Grommet			
1GWH-GR1	1-gang White Wireport™ Plate with Grommet, w/screw hardware	1.425"	1.59"
1GAL-GR1	1-gang Almond Wireport™ Plate with Grommet, w/screw hardware	1.425"	1.59"
1GIV-GR1	1-gang Ivory Wireport™ Plate with Grommet, w/screw hardware	1.425"	1.59"
1GBR-GR1	1-gang Brown Wireport™ Plate with Grommet, w/screw hardware	1.425"	1.59"
1GBK-GR1	1-gang Black Wireport™ Plate with Grommet, w/screw hardware	1.425"	1.59"

Part No.	Description	Hole Size (Diameter)	Hole Area (Sq. In.)
1-Gang Wireport™ Grommet			
GR1-WH	1-gang White Wireport™ Grommet	1.425"	1.59"
GR1-AL	1-gang Almond Wireport™ Grommet	1.425"	1.59"
GR1-IV	1-gang Ivory Wireport™ Grommet	1.425"	1.59"
GR1-BR	1-gang Brown Wireport™ Grommet	1.425"	1.59"
GR1-BK	1-gang Black Wireport™ Grommet	1.425"	1.59"

Part No.	Description	Hole Size (Diameter)	Hole Area (Sq. In.)
2-Gang Wireport™ Plate with Grommet			
2GWH-GR2	2-gang White Wireport™ Plate with Grommet, w/screw hardware	1.875"	2.76"
2GAL-GR2	2-gang Almond Wireport™ Plate with Grommet, w/screw hardware	1.875"	2.76"
2GIV-GR2	2-gang Ivory Wireport™ Plate with Grommet, w/screw hardware	1.875"	2.76"
2GBR-GR2	2-gang Brown Wireport™ Plate with Grommet, w/screw hardware	1.875"	2.76"
2GBK-GR2	2-gang Black Wireport™ Plate with Grommet, w/screw hardware	1.875"	2.76"

Part No.	Description	Hole Size (Diameter)	Hole Area (Sq. In.)
2-Gang Wireport™ Grommet			
GR2-WH	2-gang White Wireport™ Grommet	1.875"	2.76"
GR2-AL	2-gang Almond Wireport™ Grommet	1.875"	2.76"
GR2-IV	2-gang Ivory Wireport™ Grommet	1.875"	2.76"
GR2-BR	2-gang Brown Wireport™ Grommet	1.875"	2.76"
GR2-BK	2-gang Black Wireport™ Grommet	1.875"	2.76"



1GWH-GR1



GR1-WH



2GWH-GR2



GR1-2


Wireport™ is a Trademark of MIDLITE®

NEW!

Splitport™ Plus Plates

(Patented)

- Used where A/V cables pass through the wall such as behind flat panel TVs and head end A/V gear
- Contractor size (3.15" w x 4.19" h) wall plate to cover up all surface imperfections surrounding low voltage box edges
- Attaches to standard 1-gang low voltage backless box
- Patented keyed-tab feature holds plate together. Allows easy installation in applications where cabling is already connected to equipment
- The grommet insert only opens where cabling is present and maintains a closed clean area
- Available in White, Light Almond, Ivory, and Black



Part No.	Description	Hole Size (Diameter)	Hole Area (Sq. In.)
1-Gang Splitport™ Plus			
1GSPWH	1-gang White Splitport™ Plus Plate, w/screw hardware	1.4"	1.65"
1GSPLA	1-gang Light Almond Splitport™ Plus Plate, w/screw hardware	1.4"	1.65"
1GSPIV	1-gang Ivory Splitport™ Plus Plate, w/screw hardware	1.4"	1.65"
1GSPBK	1-gang Black Splitport™ Plus Plate, w/screw hardware	1.4"	1.65"

1-Gang Splitport™ Plus with Grommet

1GSPWH-GR10	1-gang White Splitport™ Plus Plate with Grommet, w/screw hardware	1.8"	2.54"
1GSPLA-GR10	1-gang Light Almond Splitport™ Plate with Grommet, w/screw hardware	1.8"	2.54"
1GSPIV-GR10	1-gang Ivory Splitport™ Plate with Grommet, w/screw hardware	1.8"	2.54"
1GSPBK-GR10	1-gang Brown Splitport™ Plate with Grommet, w/screw hardware	1.8"	2.54"

Splitport™ is a Trademark of MIDLITE®

Splitport™ Plates

(Patented)

- Used where A/V cables pass through the wall such as behind flat panel T.V.s and head end A/V gear
- Attaches to standard 1-gang and 2-gang low voltage backless box
- Patented keyed-tab feature holds plate together
- Allows easy installation in applications where cabling is already connected to equipment
- Available in White, Almond, Ivory, and Black




Part No.	Description	Hole Size (Diameter)	Hole Area (Sq. In.)
1-Gang Splitport™			
1GSWH	1-gang White Splitport™ Plate, w/screw hardware	1.4"	1.65"
1GSAL	1-gang Almond Splitport™ Plate, w/screw hardware	1.4"	1.65"
1GSIV	1-gang Ivory Splitport™ Plate, w/screw hardware	1.4"	1.65"
1GSBR	1-gang Brown Splitport™ Plate, w/screw hardware	1.4"	1.65"
1GSBK	1-gang Black Splitport™ Plate, w/screw hardware	1.4"	1.65"

2-Gang Splitport™

2GSWH	2-gang White Splitport™ Plate, w/screw hardware	1.8"	2.54"
2GSAL	2-gang Almond Splitport™ Plate, w/screw hardware	1.8"	2.54"
2GSIV	2-gang Ivory Splitport™ Plate, w/screw hardware	1.8"	2.54"
2GSBR	2-gang Brown Splitport™ Plate, w/screw hardware	1.8"	2.54"
2GSBK	2-gang Black Splitport™ Plate, w/screw hardware	1.8"	2.54"


Splitport™ is a Trademark of MIDLITE®



NEW!

Wire Braided Wrap Sleeving

- Use the Wire Braided Wrap or Wire Braided Wrap Split for managing and hiding cables exiting the Wireport™ and Splitport™ plate or any hole which cables pass through.
- The aesthetically pleasing sleek look is combined with the properties of a 10 mil PET braided construction which makes this product rugged to withstand cuts, abrasions, and tension.
- Use this product where cables exit the wall and need to be managed for an uncluttered clean appearance
- The cables are completely covered in the cable management application.
- The sleeving cuts easily with a hot knife for a clean edge
- The Wire Braided Wrap Split incorporates a lateral split which allows the tube to open up to accommodate a wide variety of bundling requirements, and the semi-rigid braid configuration simply closes around the entire installation without the need for any additional fasteners. The 25% edge overlap (at nominal diameter) allows coverage around cables
- The Wire Braided Wrap Split will bend to a tight radius without distorting or splitting open



Hot Knife

- Cut braided sleeving to custom lengths on the job
- Provides a melted edge to the braided sleeve end to stop fraying
- UL Listed. 120 Volts, 150 Watts



Part No.	Description
Hot Knife	
MD1500	Hot Knife
MD1500-1	Replacement Blades

Part No.	Description
Black Wire Braided Wrap Sleeving	
PET50-BK	1/2" Dia. x 100' Black Wire Braided Wrap Sleeving
PET75-BK	3/4" Dia. x 75' Black Wire Braided Wrap Sleeving
PET100-BK	1" Dia. x 65' Black Wire Braided Wrap Sleeving
PET150-BK	1 1/2" Dia. x 40' Black Wire Braided Wrap Sleeving
PET200-BK	2" Dia. x 50' Black Wire Braided Wrap Sleeving

Part No.	Description
Black Wire Braided Wrap Split Sleeving	
PF6-50-BK	1/2" Dia. x 75' Black Wire Braided Wrap Split Sleeving
PF6-75-BK	3/4" Dia. x 50' Black Wire Braided Wrap Split Sleeving
PF6-100-BK	1" Dia. x 50' Black Wire Braided Wrap Split Sleeving
PF6-150-BK	1 1/2" Dia. x 25' Black Wire Braided Wrap Split Sleeving
PF6-200-BK	2" Dia. x 25' Black Wire Braided Wrap Split

Pli-Flange™ Cable Sleeving

(Patented)

- Braided sleeving with flange retains sleeve in wall (no tape or wire ties needed)
- Flexible flange is easily inserted and secured within both the Wireport™ and Splitport™ plates
- Keeps the cables completely covered in the cable management application
- Aesthetically pleasing sleek look is combined with the properties of PET braided construction which makes this product rugged to withstand cuts, abrasions, and tension
- Available in White and Black

Part No.	Description
White Pli-Flange™ Cable Sleeving	
1PF3-WH	1 1/4" x 3' White Pli-Flange™ Cable Sleeving
1PF5-WH	1 1/4" x 5' White Pli-Flange™ Cable Sleeving
1PF7-WH	1 1/4" x 7' White Pli-Flange™ Cable Sleeving
1PF10-WH	1 1/4" x 10' White Pli-Flange™ Cable Sleeving
2PF3-WH	1 3/4" x 3' White Pli-Flange™ Cable Sleeving
2PF5-WH	1 3/4" x 5' White Pli-Flange™ Cable Sleeving
2PF7-WH	1 3/4" x 7' White Pli-Flange™ Cable Sleeving
2PF10-WH	1 3/4" x 10' White Pli-Flange™ Cable Sleeving

Part No.	Description
Black Pli-Flange™ Cable Sleeving	
1PF3-BL	1 1/4" x 3' Black Pli-Flange™ Cable Sleeving
1PF5-BL	1 1/4" x 5' Black Pli-Flange™ Cable Sleeving
1PF7-BL	1 1/4" x 7' Black Pli-Flange™ Cable Sleeving
1PF10-BL	1 1/4" x 10' Black Pli-Flange™ Cable Sleeving
2PF3-BL	1 3/4" x 3' Black Pli-Flange™ Cable Sleeving
2PF5-BL	1 3/4" x 5' Black Pli-Flange™ Cable Sleeving
2PF7-BL	1 3/4" x 7' Black Pli-Flange™ Cable Sleeving
2PF10-BL	1 3/4" x 10' Black Pli-Flange™ Cable Sleeving



Fasteners and Hardware

2½" Wall Plate Breakaway Screws

- One screw you can service 2 ½", 2", and 1 ½" depths
- Use a pair of pliers and your hands to break at the various depths
- Save time on mounting plates to different splash board, baseboard, and wall depths
- Sold in both master packs of 10 boxes of 100 screws per color or individual boxes of 100 screws
- Available in White, Almond, Ivory, and Black




212SWB

Part No.	Description
----------	-------------

Breakaway Screws	
212SWB	2 ½" White Breakaway Screw
212SAB	2 ½" Almond Breakaway Screw
212SIB	2 ½" Ivory Breakaway Screw
212SBB	2 ½" Black Breakaway Screw

Breakaway Points on Screws



Steel Safety Plates

- Steel Safety Plates help protect cabling from dry wall nails and screws. (L 2 ¾, W 1 ½)
- Available individually or in master packs of 100

Part No.	Description
Steel Safety Plate	
SP100	Steel Safety Plate



Steel Safety Plate

