



Energizer®


1-800-268-5870

Fax: 1-800-268-5876

www.energizer.ca

Energizer®

PRODUCT CATALOGUE



®

WEATHERPROOF

TOOL QUALITY

RUGGED DURABILITY

LED

HANDS-FREE

Energizer

TRUSTED BRAND

INTRINSICALLY SAFE

EXTENDED RUN TIME

TECHNOLOGICAL DEVELOPMENT

ENERGIZER® PROFESSIONAL FLASHLIGHTS: FOCUSED ON THE USER'S NEEDS

Technological Development – It all starts with the technology. Listed here are just a few features of the new line of Energizer® Hard Case Professional™ and Contractor® flashlights, which are designed specifically to meet the needs and applications of the professional end user:

LED – Light Emitting Diode technology produces high-quality light and is virtually unbreakable and extremely power-efficient, providing significant cost savings.

Rugged Durability – Constructed with ABS plastic, metal and rubber, Energizer® professional lights survive the abusive tests of the job site.

Weatherproof – Meeting the challenges of outdoor application.

Tool Quality – Precision machined, tough, and guaranteed for life.

Hands-Free – Providing light where you need it and leaving you free to work.

Extended Run Time – Fewer battery changes mean time and money saved.


Intrinsically Safe – Use Energizer® professional safety rated lights confidently in hazardous conditions.

Trusted Brand – Energizer® is the world's largest manufacturer of portable lighting products.

Energizer® Flashlights for Professional use are designed to be rugged, tough, durable and reliable.

Light Where You Look

With Hands-free Operation



- CREE LED — 100 lumens
- 2 Red LEDs — Low level light
- 1 Green LED — Increased visibility of imperfections in pipes
- Light defusing lens
- Battery back for balance
- Removable third strap
- Runs on 3 AA batteries

Light Where You Need It

125° Swivel Head



- Small ergonomic design
- 2 Red LEDs
- 1 Green LED
- 1 White LED
- 80 lumens
- Runs on 2 AA batteries

Big Light in a Small Package

Small, Anti-Roll Design



- Small, anti-roll
- Easily fits into a pocket
- Packed with pouch
- ½ watt LED
- Runs on 2 AAA batteries

Energizer® Professional Lights have been developed with power-efficient LED technology. Users of LED lights enjoy these benefits:

- Battery Life: LED lights last up to 50x longer than incandescent lights
- Save Money and Time: Change out batteries less often
- Long-lasting: LED-based lights last up to 50,000 hours (that's more than 17 years)*
- Reliable: LEDs are virtually unbreakable

* When used 8 hours per day

Energizer®

www.energizer.ca

A LIGHT FOR EVERY NEED

HARD CASE LIGHTS

ENERGIZER® LIGHTS

Inspection	Standard	Hands-Free	Lantern	Spot
 TUF2AAPEH  TUFPL22PH	 TUF4AAPEH	 TUF421PEH  TUFHD31PH  TUFWS21PH	 TUF4DPH	 TUF4CPEH
 PLED23AE  ML3W2AAL  ML1W2AAE  MLKC2BUBP	 1151  1251  E250Y  1259  MS2AALED  MS2DLED  EVLL21S  EVLL25S  V2202ACS	 E251Y  HD33A1EN  HDL33AINE  HDL33A2E  HAT2BUICS	 1700  5109IND  459  WRLMF35E  WRTWL41E  FL452WRBP	 231IND



HARD CASE PROFESSIONAL™

Image/Manufacturer No.	Name & Des.	Specifications	Applications & Features	Benefits
 TUF2AAPEH	Energizer® Hard Case Professional™ 2 AA LED Flashlight with Belt Pouch	3 Nichia LEDs, 18 Lumens 20 Hour Run Time (Alkaline) Survives a 30 Foot Drop Anti-Roll Design 6.76 x 1.750 (Inches), 5.7 oz. with Alkaline Batteries 2 AA Alkaline Batteries (Included) Case Qty: 8	Small tool light for close-up jobs Convenient to carry on belt Weatherproof Impact resistant Shatterproof lens Includes belt loop pouch with securing flap	Perfect accessory for low light tasks Always at hand and ready to perform Survives rugged weather on the job Greatly reduces potential for damage to internal components Protects LED from abusive environments and provides added durability
 TUF4AAPEH	Energizer® Hard Case Professional™ 4 AA LED Flashlight	4 Nichia CS LEDs, 24 Lumens 15 Hour Run Time (Alkaline) Survives a 20 Foot Drop Metal Belt Clip 8.874 x 3.03 (Inches), 15.1 oz. with Alkaline Batteries 4 AA Alkaline Batteries (Included) Case Qty: 3	Mid-sized jobs in smaller areas Focused LEDs produce tight spot Convenient size for toolbox and belt carrying Weatherproof Impact resistant Shatterproof lens	Easy to hold and easy to use Bright white spot for completing the task at hand Easy to pack up, carry and take with you Survives rugged weather on the job Greatly reduces potential for damage to internal components Protects LED from abusive environments and provides added durability
 TUF421PEH	Energizer® Hard Case Professional™ 4 AA LED Swivel Head Flashlight	4 Nichia CS LEDs, 24 Lumens 15 Hour Run Time (Alkaline) Survives a 15 Foot Drop Hands-Free Operation and Metal Belt Clip 10.06 x 3.31 (Inches), 20.3 oz. with Alkaline Batteries 4 AA Alkaline Batteries (Included) Case Qty: 3	Hands-free project light for table and bench top use Non-focused LEDs broader area light Swivel head allows directing light where needed Weatherproof Impact resistant Shatterproof lens	Read blueprints or light up an area for work Greatly reduces potential for damage to internal components Can be used across a wide range of outdoor applications Increases longevity and durability of flashlight Protects LED from abusive environments and provides added durability
 TUF4CPEH	Energizer® Hard Case Professional™ 4 C LED Spotlight	1-3 Watt Lumileds LED, 65 Lumens 12 Hour Run Time (Alkaline) Passes 15 Foot Drop 9.06 x 4.25 (Inches), 38.2 oz. with Alkaline Batteries 4 C Alkaline Batteries (Included) Case Qty: 3	Powerful, long distance beam Spot illumination Weatherproof Impact resistant Shatterproof lens	Use for searching, long distance lighting applications Tight white spot gives intense focused beam Can be used across a wide range of outdoor applications Increases longevity and durability of flashlight Protects LED from abusive environments and provides added durability
 TUF4DPH	Energizer® Hard Case Professional™ 4 D LED Lantern	1 K2 Lumileds LED, 100 Lumens Run Time TBD, Estimated Over 50 Hours (Alkaline) Drop Test TBD, Estimated 30 Feet 10 x 4.75 x 5.25 (Inches), 63.2 oz. with Alkaline Batteries 4 D Batteries (Not Included) Case Qty: 4	Large work site light to illuminate large areas High efficiency LED K2 light source Stands up in two different positions for hands-free use Weatherproof Impact resistant Shatterproof lens	Provides light for a number of workers or areas Reduced battery consumption results in cost savings Can be used for hands-free applications Can be used across a wide range of outdoor applications Increases longevity and durability of flashlight Protects LED from abusive environments and provides added durability
 TUFPL22PH	Energizer® Hard Case Professional™ 2 AAA LED Inspection Light	1 White Nichia LED, 30 Lumens 1.25 Hour Run Time (Alkaline) Survives a 15 Foot Drop Anti-Roll Design 5.88 x 0.94 (Inches), 1.87 oz. without Alkaline Batteries 2 AAA Batteries (Included) Case Qty: 6	Shatterproof lens Premium Nichia LED provides strong illumination Push button switch Water resistant Belt holster included	Slim, tapered design fits easily in pockets or belt holster Lifetime guarantee Handy light anywhere
 TUFHD31PH	Energizer® Hard Case Professional™ 3 AA LED Headlight	White CREE XRE LED, 2 Red and 1 Green LED, 100 Lumens 15 Hour Run Time (Alkaline) Survives a 15 Foot Drop 3.12 x 2.12 x 1.13 (Inches), 7.12 oz. with Alkaline Batteries 3 AA Batteries (Included) Case Qty: 4	Hands-free Non-slip strap stays put on hard hat or head Removable top strap Rear mount battery pack distributes weight evenly Battery pack and light are cushioned Four lighting modes controlled by two easy to operate push button switches	Light pivots to direct the beam where you need it Can be used for a wide range of hands-free applications Comfortable due to even weight distribution and cushioned light
 TUF21PH	Energizer® Hard Case Professional™ 2 AA LED Swivel Light	White CREE XRE LED, 2 Red and 1 Green LED, 80 Lumens 22 Hour Run Time (Alkaline) Survives a 20 Foot Drop 7.5 x 2.25 x 2.25 (Inches), 6.6 oz. without Alkaline Batteries 2 AA Batteries (Included) Case Qty: 4	Head rotates 125° for light where you need it Weatherproof and water resistant Operates in four different light modes Sturdy belt clip Impact resistant	Hands-free with flat base that stands on surfaces Adaptable for almost any situation - bright spot, low spot for extended battery life, red for night vision and green for inspection Lifetime guarantee




Image/Manufacturer No.	Name & Des.	Specifications	Applications & Features	Benefits
 E250Y	2 D Economy Light	KPR-102 Krypton Beam, 16.5 Lumens 15 Hour Run Time (Alkaline) Polyethylene Case, Anti-Roll Feature, Slide Switch 2.37 x 2.37 x 8.18 (Inches), 13.5 oz. 2 D Alkaline Batteries (Not Included) Case Qty: 12	Hanger hook in end cap Shatterproof lens Anti-roll	Gives ability to hang up light or belt-carry Resists breaking from dropping and abuse Set it down and it stays put
 E251Y	2 D Economy Light with Magnet	KPR-102 Krypton Beam, 6.5 Lumens 15 Hour Run Time (Alkaline) Polyethylene Case, Anti-Roll Feature, Slide Switch, Magnet on Switch 2.37 x 2.37 x 8.18 (Inches), 15.4 oz. 2 D Alkaline Batteries (Not Included) Case Qty: 12	Hanger hook in end cap Magnet on slide switch Shatterproof lens Anti-roll	Gives ability to hang up light or belt-carry Place on toolbox or other metal surface Resists breaking from dropping and abuse Set it down and it stays put
 HD33A1EN	3 AAA LED Headbeam	3 Nichia LEDs, 2 White Spot and 1 Red, 18 Lumens 50 Hour Run Time (Alkaline) 2.63 x 1.75 (Inches), 2.7 oz. with Alkaline Batteries 3 AAA Alkaline Batteries (Not Included) Case Qty: 6	Swivel and tilt adjustment aims light Hands-free Operates in two modes - flood and night vision Multiple position push button switch	Economical - LEDs never need replacing Lightweight and versatile Comfortable around the head for long periods of time Variable light sources allow you to choose the best illumination for the job
 HDL33A2E	3 AAA LED Headlight	6 LEDs, 2 White Spot, 2 White Flood and 2 Red, 12-24 Lumens 50 Hour Run Time (Alkaline) 2.84 x 1.81 x 1.59 (Inches), 3.2 oz. with Alkaline Batteries 3 AAA Alkaline Batteries (Not Included) Case Qty: 4	Swivel adjustment aims light Hands-free Multiple position push button switch Mounts over hard hat with no slippage Headband designed for comfort	Lightweight, versatile and comfortable Perfect for electrical, plumbing or other work that requires both hands Swivel adjustment for accurate aim Variable light sources allow you to choose the best illumination for the job
 HDL33AINE	Industrial 6 LED Headlight	6 LEDs - 2 White Spot, 2 White Flood, 2 Red, 12-24 Lumens 50 Hour Run Time (with 2 LEDs) (Alkaline) Multiple Position Push Button Switch Total Weight 3.2 oz. with Alkaline Batteries 3 AAA Alkaline Batteries (Included) Case Qty: 6	Electrical, plumbing, HVAC or other hands-free applications Rubber pads for hard hat use with pencil grips Comfort-wear headband with reflector pads Swivel adjustment with ratchet positioning	Light where you are looking, when you need it, without having to hold it Can be securely mounted over a hard hat with no slippage Easy access to pen or pencil Can be comfortably worn on head for long periods of time Allows others to see you on the job Position light where it's best used
 HAT2BUICS	2 CR2032 Industrial LED Hat Light	1 White LED, 6 Lumens 30 Hour Run Time (Lithium) 2.16 x 2.00 x 1.15 (Inches), 1.1 oz. with Lithium Batteries 2 CR2032 Lithium Coin Cells (Not Included) Case Qty: 6	Hands-free Swivel clip mounts securely on any hat brim Large switch is easy to find and operate	Lightweight and versatile Economical - lifetime LED light source Perfect for reading in low light areas Easy to use Mounts quickly to any hat brim and stays firmly attached
 5109IND	6 V Economy Lantern	PR-13 Beam, 28.5 Lumens 15 Hour Run Time (Alkaline) Polyethylene Case Large Reflector, Weatherproof, Floats 4.57 x 4.57 x 7.15 (Inches), 29.7 oz. 6 V Alkaline Batteries (Not Included) Case Qty: 6	Large reflector for bright beam Anti-roll stand Shatterproof lens	Large lit area Set it down and it stays put
 1151	2 AA Industrial Flashlight	KPR-104 Krypton Beam, 7 Lumens 3 Hour Run Time (Alkaline) Rugged Impact-Resistant Housing with Lanyard Waterproof, Floats 1.39 x 1.39 x 6.02 (Inches), 5.6 oz. 2 AA Alkaline Batteries (Not Included) Case Qty: 12	Chemical-resistant polypropylene Heavy-duty ribbed construction Shockproof Hanger hook in end cap Shatterproof lens	Resistant to all types of staining and corrosion Non-conductive Gives ability to hang up light or belt-carry Resists breaking from dropping and abuse
 1251	2 D Industrial Flashlight	KPR-102 Krypton Beam, 16.5 Lumens 15 Hour Run Time (Alkaline) Polypropylene Case, Anti-Roll Feature, Slide Switch 2.37 x 2.37 x 8 (Inches), 14.2 oz. 2 D Alkaline Batteries (Not Included) Case Qty: 12	Chemical-resistant polypropylene Heavy-duty ribbed construction Shockproof Hanger hook in end cap Shatterproof lens	Resistant to all types of staining and corrosion Non-conductive Gives ability to hang up light or belt-carry Resists breaking from dropping and abuse
 EVLL21S	2 AA Long Life LED Flashlight	1 White LED, 10 Lumens 40 Hour Run Time (Carbon Zinc) 6.06 x 1.63 (Inches), 1.62 oz. without Carbon Zinc Batteries 2 AA Carbon Zinc Batteries (Not Included) Case Qty: 6	Attached wrist lanyard One white LED provides strong illumination Slide switch for convenience	Economical - lifetime LED never needs replacing Great choice for an everyday flashlight Easy to use Extended run time for reduced operating cost

Image/Manufacturer No.	Name & Des.	Specifications	Applications & Features	Benefits
 EVLL25S	2 D Long Life LED Flashlight	3 White LEDs, 42 Lumens 40 Hour Run Time (Carbon Zinc) 7.56 x 2.25 (Inches), 3.6 oz. without Carbon Zinc Batteries 2 D Carbon Zinc Batteries (Not Included) Case Qty: 6	Attached wrist lanyard Three white LEDs provide strong illumination Slide switch for convenience	Economical - lifetime LED never needs replacing Great choice for an everyday flashlight Easy to use Extended run time for reduced operating cost
 V2202ACS	2 AA Zap Light	PR-4 Beam, 5 Lumens 7 Hour Run Time (Alkaline) 4.46 x 3.42 (Inches), 3.99 oz. with Alkaline Batteries 2 AA Non-Replaceable Alkaline Batteries (Included) Case Qty: 12	Glow in the dark slide switch Choice of three colours Disposable light	Compact for easy storage Ergonomic design for easy handling Economical household lighting choice
 1700	6 V Industrial Lantern	KPR-113 Krypton Beam, 51 Lumens 20 Hour Run Time (Alkaline) Polypropylene Case Large Reflector, Weatherproof, Floats 4.57 x 4.57 x 7.15 (Inches), 29.7 oz. 6 V Alkaline Batteries (Not Included) Case Qty: 6	Chemical-resistant polypropylene Heavy-duty construction Shockproof Floats Shatterproof lens	Resistant to all types of staining and corrosion Non-conductive Good for marine applications Resists breaking from dropping and abuse
 231IND	Industrial 6 V Screwtop Lantern	KPR-113 Krypton Beam, 51 Lumens 20 Hour Run Time (Carbon Zinc) Emergency Flasher 90 Degree Head Adjustment 4.9 x 4.9 x 9.4 (Inches), 56.2 oz. with Battery 6 V Carbon Zinc Battery (Not Included) Case Qty: 6	Metal and plastic construction Self-standing for hands-free use Large beam projection	Provides flasher for emergencies and worker locating Long distance lighting applications
 MLKC2BUBP	2 CR2032 Metal Keychain / Star Beam	1 White LED, 14 Lumens 30 Hour Run Time (Lithium) 2.06 x 0.50 (Inches), 1.50 oz. with Lithium Batteries 2 CR2032 Lithium Coin Cells (Included) Case Qty: 6	White LED provides light equivalent to many larger flashlights Compact - fits easily in purse, pocket or backpack Sturdy attachment clip secures light to keychain	Replaceable batteries - no need to buy a whole new light Easy to use Metal construction for a long-lasting light Lifetime LED never needs replacing
 ML1W2AAE	2 AA Metal Flashlight 1 Watt LED	1-1 Watt LED, 45 Lumens 3.5 Hour Run Time (Alkaline) Precision Machined High-Strength Aluminum Case Rubber Grip and Lanyard 2 AA Alkaline Batteries (Included) Case Qty: 6	Sleek, easy to carry design Rubber grip and lanyard LED light source	Traditional flashlight format Easy to carry and hang on to Reduced battery consumption results in cost savings
 ML3W2AAL	2 AA Metal Flashlight 3 Watt LED	1-3 Watt LED, 45 Lumens 3 Hour Run Time (Lithium) Precision Machined High-Strength Aluminum Case Rubber Grip and Lanyard 2 AA Lithium Batteries (Included) Case Qty: 6	Sleek, easy to carry design Rubber grip and lanyard LED light source	Traditional flashlight format Easy to carry and hang on to Reduced battery consumption results in cost savings
 PLED23AE	2 AAA Metal LED Penlight	1 White LED, 6 Lumens 18 Hour Run Time (Alkaline) One Hand Push Button Switch Strong Lightweight Aluminum 0.659 x 5.72 (Inches), 1.5 oz. 2 AAA Alkaline Batteries (Included) Case Qty: 6	Push button switch Secure clip at top Strong durable casing Super bright lifetime LED	Handy light anywhere Holds fast to pocket, briefcase, or tool bag Lifetime guarantee Reduced battery consumption results in cost savings
 R215WBS	2 AA Ultra Grip Rubber Light	KPR-104 Krypton Beam, 7 Lumens 3 Hour Run Time (Alkaline) Rubber Housing with Lanyard and Hanging Clip Anti-Roll Square Construction, Survives a 7 Foot Drop 1.8 x 1.8 x 6.48 (Inches), 5.8 oz. 2 AA Alkaline Batteries (Included) Case Qty: 6	Heavy-duty rubber case Non-slip handle surface Faceted reflector Lanyard clip	Use as a non-conductive lighting tool for electrical applications Ideal for plumbing and wet areas Wide, high quality spot Easily hangs from pipe or other nearby extrusion
 4250IND	2 D Ultra Grip Rubber Light	KPR-102 Krypton Beam, 16.5 Lumens 11 Hour Run Time (Alkaline) Rubber Housing with Lanyard and Hanging Clip Anti-Roll Square Construction, Survives a 7 Foot Drop 3.15 x 3.15 x 8.19 (Inches), 21.8 oz. 2 D Alkaline Batteries (Included) Case Qty: 6	Heavy-duty rubber case Non-slip handle surface Faceted reflector Lanyard clip	Use as a non-conductive lighting tool for electrical applications Ideal for plumbing and wet areas Wide, high quality spot Easily hangs from pipe or other nearby extrusion

ENERGIZER® SAFETY

Image/Manufacturer No.	Name & Des.	Specifications	Applications & Features	Benefits
 1259	2 D Mine Safety Light	PR-2 Beam, 11.4 Lumens 20 Hour Run Time (Alkaline) Polypropylene Case, Anti-Roll Feature, Slide Switch Explosion Proof (with PR-2) Hanger Hook in End Cap 2.37 x 2.37 x 8 (Inches), 14.2 oz. 2 D Alkaline Batteries (Not Included) Case Qty: 12	UL / MSHA / CSA approved Orange safety colour Chemical-resistant polypropylene Heavy-duty ribbed construction Shockproof Hanger hook in end cap	Meets safety standards Indicates safety light Resistant to all types of staining and corrosion Resists breaking from dropping and abuse Gives ability to hang up light or belt-carry
 459	6 V Mine Safety Lantern	PR-13, 28.5 Lumens, KPR-113 Krypton, 51 Lumens 15 Hour (PR-13), 20 Hour Run Time (KPR-113) (Alkaline) Polypropylene Case Large Reflector, Weatherproof, Floats 4.57 x 4.57 x 7.15 (Inches), 29.7 oz. 6 V Alkaline Batteries (Not Included) Case Qty: 6	UL / MSHA / CSA approved Orange safety colour Chemical-resistant polypropylene Heavy-duty construction Shockproof Spring loaded contact cut-off	Indicates safety light Resistant to all types of staining and corrosion Non-conductive Provides safety from explosion in case of breakage
 MS2AALED	2 AA LED Safety Flashlight	3 White Nichia GS LEDs, 30 Lumens 20 Hour Run Time (Alkaline) Survives a 7 Foot Drop Waterproof, Impact Resistant 5.97 x 1.38 x 1.60 (Inches), 2.3 oz. 2 AA Alkaline Batteries (Not Included) Case Qty:	UL / IEC / ATEX / CSA approved Orange safety colour Belt clip allows quick access Approved by global agencies for intrinsically safe lights	White LED lamp supplies steady bright illumination Compact size fits easily in any toolbox
 MS2DLED	2 D LED Safety Flashlight	1 Watt Luxeon Lumileds White LED, 45 Lumens 70 Hour Run Time (Alkaline) Survives a 7 Foot Drop Waterproof, Impact Resistant 7.93 x 2.00 x 2.55 (Inches), 5.6 oz. 2 D Alkaline Batteries (Not Included) Case Qty:	UL / IEC / ATEX / CSA approved Orange safety colour Belt clip allows quick access Approved by global agencies for intrinsically safe lights	White LED lamp supplies steady bright illumination Ideal for work in harsh conditions

ENERGIZER® WEATHER READY






Image/Manufacturer No.	Name & Des.	Specifications	Applications & Features	Benefits
 FL452WRBP	4 D Weather Ready LED Area Lantern	8 Super Bright Nichia LED Amber LED Night Light 175 Hour Run Time (Alkaline, Low Mode) 86 Hour Run Time (Alkaline, High Mode) 4 D Alkaline Batteries (Not Included) Case Qty: 6	Super bright lifetime LED Combined flashlights, area light and night light LED folds out to 360° area light Shatterproof lens Carrying handle	Large lit area (lights up entire room) Runs up to 1 month on 1 set of batteries Compact/easy to store - folds down Set it down and it stays put Good for weather related and any other emergency situations
 WRLMF35E	3 D Weather Ready TESCO Lantern	1 KPR-103, 28 Lumens 3 White Nichia LEDs, 1 Amber LED, 19 Lumens 20 Hour Run Time (Alkaline, High Mode) Survives a 3 Foot Drop 7.12 x 4.25 (Inches), 14.67 oz. without Alkaline Batteries 3 D Alkaline Batteries (Not Included) Case Qty: 4	Three levels of brightness Runs about 500 hours on Amber LED nightlight setting Includes removable keychain light Lantern and keychain light switches glow in the dark Shatterproof lens Waterproof and floats O-ring seals protect interior from damage due to rough weather	Stand or hang using integrated hanging ring or handle Comfortable to carry with cushioned handle Good for weather related and any other emergency situations Durable and versatile
 WRTL41E	4 AA Weather Ready 2-in-1 Lantern	Lantern: 3 White Nichia LEDs, 1 Amber LED, 19 Lumens 72 Hour Run Time (Alkaline) Flashlight: 2 White Nichia LEDs, 16 Lumens 58 Hour Run Time (Alkaline) 6.88 x 2.56 (Inches), 5.47 oz. without Alkaline Batteries 4 AA Alkaline Batteries (Not Included) Case Qty: 6	Acts as a lantern or a flashlight Attached shock cord O-ring seals protect interior from damage due to rough weather IPX4 rating	Stand or hang with shock cord Economical - lifetime LEDs never need replacing Great choice for emergency kits Long lasting light Stands up to the toughest weather conditions

Energizer® Lithium® Batteries

...the right choice for just about anyone who depends on high-tech devices in their everyday life, no matter how often they are used.

- World's longest lasting AA and AAA batteries in high-tech devices
- 33% lighter than ordinary alkaline batteries
- Performs in temperatures from -40°F to 140°F (-40°C to 60°C)
- 15 year shelf life
- Leak resistant construction
- Great power source for mobile electronic devices like digital cameras, wireless headsets, Energi To Go™ Instant Cell Phone Chargers, CD players, wireless mice, as well as GPS, 2-way radios and outdoor thermometers/weather stations.

ENERGIZER® LITHIUM®










Battery Number	Volt & Size/Qty Per Card	Qty Per Case	Dimensions LxWxH (in)	Cube (in)	Consumer UPC Code	Case UPC Code
 L91BP2	1.5 V LITHIUM AA 2	6	8.27" x 3.86" x 4.37"	139.50"	0 39800 03408 3	0 00 39800 05679 5
 L91BP4	1.5 V LITHIUM AA 4	6	8.27" x 4.02" x 4.37"	145.42"	0 39800 01793 2	3 00 39800 01793 3
 L92BP2	1.5 V LITHIUM AAA 2	6	3.90" x 4.25" x 4.75"	78.73"	0 39800 07930 5	1 00 39800 07930 2
 L91T12	1.5 V LITHIUM AA BULK	144	7.01" x 4.33" x 4.29"	130.54"	0 60800 34207 6	1 00 60800 34207 3
 L92T12	1.5 V LITHIUM AAA BULK	144	6.13" x 4.25" x 2.90"	75.49"	0 39800 04125 8	3 00 39800 04125 9

Energizer® e²® Titanium Technology Batteries

...formulated differently than ordinary alkaline batteries. With its proprietary titanium compound and advanced cell construction, Energizer® e²® Titanium Technology performance alkaline batteries:

- Deliver Power – Energizer's most powerful alkaline battery
- Last Longer – Longer lasting performance than leading ordinary alkaline batteries in today's most demanding high-tech devices

ENERGIZER® e²® TITANIUM



Battery Number	Volt & Size/Qty Per Card	Qty Per Case	Dimensions LxWxH (in)	Cube (in)	Consumer UPC Code	Case UPC Code
 X91RP4	1.5 V AA 4	24	10.01" x 7.29" x 4.81"	350.63"	0 39800 02707 8	0 00 39800 01897 7
 X91RP8	1.5 V AA 8	12	8.00" x 6.90" x 6.35"	350.52"	0 39800 02706 1	0 00 39800 01915 8
 X92RP2	1.5 V AAA 2	12	10.01" x 7.29" x 4.81"	351.00"	0 39800 03754 1	0 00 39800 01901 1
 X92RP4	1.5 V AAA 4	12	10.01" x 6.70" x 3.90"	261.46"	0 39800 02704 7	0 00 39800 01904 2
 X92RP8	1.5 V AAA 8	12	7.40" x 6.90" x 2.00"	102.12"	0 39800 02702 3	0 00 39800 01916 5
 X22RP	9 V 1	12	14.03" x 10.01" x 3.51"	492.22"	0 39800 02709 2	0 00 39800 01908 0
 X22T6	9 V 6/TY	72	6.75" x 6.10" x 3.50"	144.11"	0 39800 08875 1	1 00 39800 08775 8
 X91T12	1.5 V AA 12/TY	144	7.00" x 4.30" x 4.25"	127.93"	0 39800 07582 6	1 00 39800 07582 7
 X92T12	1.5 V AAA 12/TY	144	6.13" x 4.25" x 2.90"	75.49"	0 39800 08774 4	1 00 39800 08774 1

Energizer® Industrial® Alkaline Batteries


...contain the long-lasting power found in Energizer® Max™ alkaline batteries with a design enhanced for today's heavy current or continuous use applications.

- Offer the longest lasting power source of all primary batteries over a range of sizes
- No mercury added - special disposal is not required
- Operate well in temperature extremes (-18°C to 55°C)
- Excellent shelf life - alkaline cells are ready for use even after 7 years of storage

ENERGIZER® INDUSTRIAL®

Battery Number	ANSI NEDA	IEC Number	Volt/Size	Dimensions (mm) LxWxH	Cell Pack Quantity
 EN91	15AC	LR6	1.5 V Alkaline AA	14.5 Dia. x 50.5	144
 EN92	24AC	LR03	1.5 V Alkaline AAA	10.5 Dia x 44.5	144

ENERGIZER® INDUSTRIAL®

Battery Number	ANSI NEDA	IEC Number	Volt/Size	Dimensions (mm) LxWxH	Cell Pack Quantity
 EN93	14AC	LR14	1.5 V Alkaline C	26.2 Dia. x 50.0	72
 EN95	13AC	LR20	1.5 V Alkaline D	34.2 Dia. x 61.5	72
 EN22	1604AC	6F22	9 Alkaline 9 V	26.5 x 17.5 x 48.5	72
 EN529	908AC	4LR25	Alkaline 6 V F Cell Lantern Spring Top	66.7 x 66.7 x 115.0	6
 521	918A	4LR25-2	Alkaline 6 V Screw Top	127.0 x 136.5 x 73.0	4
 529	908A	4LR25	Alkaline 6 V Spring Top	115.0 x 68.2 x 68.2	6




Eveready® Super Heavy Duty® Batteries

...offer premium power for a wide range of needs, without draining your wallet.

- Suitable for moderate to heavy current drains or regular use

- Excellent leakage resistance - even after 3 years of storage
- No mercury added - special disposal is not required

EVEREADY® SUPER HEAVY DUTY®

Battery Number	ANSI NEDA	IEC Number	Volt/Size	Dimensions (mm) LxWxH	Cell Pack Quantity
 1215	15D	R6	1.5 C-Z AA	14.5 Dia. x 50.5	192
 1235	14D	R14	1.5 C-Z C	26.2 Dia. x 50.0	192
 1250	13D	R20	1.5 C-Z D	34.2 Dia. x 61.5	192
 1222	1604D	6F22	9 C-Z 9 V	26.5 x 17.5 x 48.5	72
 1209	908D	4R25	6 C-Z 6 V Spring	68.2 x 68.2 x 115.0	12
 1231	918D	4R25-2	6 C-Z 6 V Screw	152.40 x 78.74 x 137.16	6
 732	926	8R25	12 C-Z 12 V Screw	125.4 x 73.0 x 136.5	6
 510S	915	4R25	6 C-Z 6 V Screw	68.2 x 68.2 x 115.0	12

Energizer® Rechargeable















Energizer®, the world's #1 selling rechargeable brand, offers a complete line of batteries and chargers. Energizer® Rechargeable batteries:

- Can be charged 100s of times

- Are an economical power solution for use in many devices
- Lasts up to 4x longer* in digital cameras

*vs. leading ordinary alkaline. AA 2500 mAh only. Varies by device and usage.

ENERGIZER® RECHARGEABLE

Battery Number	Volt & Size/Qty Per Card	Qty Per Case	Dimensions LxWxH (in)	Cube (in)	Consumer UPC Code	Case UPC Code
 NH12BP2	1.2 V AAA 2, 850 mAh	6	3.90" x 2.92" x 4.49"	51.13"	0 39800 00866 4	1 00 39800 09171 7
 NH12BP4	1.2 V AAA 4, 850 mAh	6	3.88" x 3.25" x 4.63"	58.25"	0 39800 02880 8	1 00 39800 09172 4
 NH15BP2	1.2 V AA 2, 2500 mAh	6	3.90" x 3.82" x 4.26"	63.47"	0 39800 00868 8	1 00 39800 08011 7
 NH15BP4	1.2 V AA 4, 2500 mAh	6	3.90" x 3.82" x 4.49"	66.89"	0 39800 01636 2	1 00 39800 08010 0
 NH22NBP	7.2 V 1,150 mAh	6	4.22" x 3.90" x 4.49"	73.90"	0 39800 00916 6	1 00 39800 09558 6
 NH35BP2	1.2 V C2, 2200 mAh	6	4.49" x 4.10" x 6.42"	118.19"	0 39800 01200 5	1 00 39800 08008 7
 NH50BP2	1.2 V D2, 2200 mAh	6	8.39" x 3.82" x 4.49"	143.90"	0 39800 01203 6	1 00 29800 8007 0
 CH15MNCC4	15 MIN. CHARGER	3	12.13" x 4.38" x 3.81"	202.24"	0 39800 02930 0	3 00 39800 02930 1
 CHCARCP4	NIMH CAR CHARGER	6	14.90" x 11.10" x 5.40"	893.11"	0 39800 06929 0	3 00 39800 06929 1
 CHDCWB4	NIMH CHARGER (SLIDER)	3	9.63" x 5.13" x 4.75"	234.31"	0 39800 08784 3	3 00 39800 08784 4
 CHFCV	NIMH FAMILY CHARGER	3	17.38" x 13.38" x 4.75"	1103.86"	0 39800 09956 3	3 00 39800 09956 4
 CHFMWB4	EASY CHARGER	3	9.38" x 6.88" x 4.63"	298.79"	0 39800 01626 3	3 00 39800 01626 4
 CHVCWB2	VALUE CHARGER	4	9.64" x 7.48" x 4.53"	326.65"	0 39800 07401 0	3 00 39800 02634 7
 CEL2MTIP	BATTERY OPERATED CELLULAR CHARGER	4	8.88" x 3.81" x 1.38"	45.83"	0 39800 05313 8	3 00 39800 05313 9