


car phone



Talking on the telephone from a phone service stand at the Hotel Constance in Pasadena, California. Circa 1925.

innovations



We think of the car phone as a 1980's gadget, but it looks as if the flappers of the Jazz Age had the idea first – they just were not aware of it!

Paladin Tools is never far from the cutting edge of technology. We consistently bring new products that make the installations easier and more efficient.

We introduce two innovations in the next few pages – the world's first punchdown tool with a detachable light and a die set for home automation combining RJ45 and CATV "F" crimping profiles on a single die.

Paladin Tools won't leave you in the dark.





Blades designed so cable stays round

NOW features soft, comfortable, non-slip rubber-embedded handles



KT 8 & KT 12 Cutters

Precise and professional cutters for solid, stranded and flexible cables up to AWG 6 (16 mm²) (KT 8) and AWG 2 (35 mm²) (KT 12).

- Blades outlined for two conductor size ranges
- Precise and effortless cuts
- Hand-stops prevent slips
- No screw design to ensure precise attachment
- Textured handles
- Blades can be sharpened with a round file
- Not for use on steel, aluminum alloys or hard-drawn copper cables
- Perfect cutter for coax and UTP cables; doesn't deform cable
- Lifetime warranty

	KT 8*	KT 12*
Max. cable cutting capacity		
Copper		
Solid	AWG 6 (16 mm ²)	AWG 6 (16 mm ²)
Stranded	AWG 6 (16 mm ²)	AWG 4 (25 mm ²)
Flexible	AWG 6 (16 mm ²)	AWG 2 (35 mm ²)
Aluminum		
Stranded	AWG 6 (16 mm ²)	AWG 6 (16 mm ²)
Technical		
Weight	6.3 oz. (180 g)	10.5 oz. (300 g)
Length	6.5" (165 mm)	8.47" (215 mm)
Ordering/Part Number	900265	900266

*Do not use on live circuits.

KT 35 Cutter

Cutter for stranded and flexible copper and aluminum cable up to 500MCM (240mm²) or diameter of 1.40" (35mm).

- Now with comfortable, non-slip rubber embedded handles
- Both blades are sharpened
- Hole in moving blade to hang tool on a peg
- Replaceable moving blade
- Hardened, precision cutting blades for long life
- Built-in safety release in all cutting positions
- Locking mechanism for transport safety
- Cut 100-pair telephone cable one handed!
- Lifetime warranty
- Not for use on steel, aluminum alloys, or hard-drawn copper cables

Maximum cable cutting capacity

Copper	
Stranded & Flexible	500MCM (240 mm ²)
Aluminum	
Stranded & Flexible	500MCM (240 mm ²)
Telephone	
Data & Control	1.40" (35 mm) dia.

Technical	Weight	Length
KT 35	24 oz. (680 g)	10.4" (265 mm)

Ordering	Part Number
KT 35*	900256
Replacement moving blade	900258

*Do not use on live circuits.



Datacomm Scissors & Knife Kit

The cable-splicing kit in a leather pouch is designed for cutting cable, telephone wire and stripping insulation.

- Leather pouch slotted to fit 2" (51 mm) belts
- Fiskars® datacomm scissors feature an ergonomic design for the professional user
- Fiskars® datacomm scissors are fastened with a solid steel rivet and have stainless steel blades to cut copper or fiber optic cables
- Utility knife has a full-size, no-slip textured handle
- Knife designed to stay sharp and fit comfortably in your hand
- One-year warranty

Technical	Weight/Dim
Kit	8 oz. (228 g)
Knife	3 oz. (85 g)
Knife in pouch	5 oz. (143 g)
Scissors	2 oz. (57 g)
Pouch	2 oz. (57 g)
Dimensions (in)	8.2" L x 2.5" W x 1.25" D
Dimensions (mm)	208 mm L x 64 mm W x 32 mm D

Ordering	Part Number
Knife & scissors in leather pouch	1912
Knife in leather pouch	1911
Knife only	1905
Leather pouch only	1906
Replacement datacomm scissors	901513.1



Lil' Splitter–Pair Separator & Untwister

Use this tool to untwist the bonded twisted-pair wires contained in Belden MediaTwist® and DataTwist® cable.

- Provides clean, non-scoring, precise separation of pairs
- Nylon-reinforced ABS plastic body
- Stainless-steel blade
- One-year warranty

Technical	
Weight	2 oz. (57 g)
Length	2.5" (64 mm)
Ordering	Part Number
Lil' Splitter	1901



Data SureStrip™

New This multi-purpose tool is a universal, easy-to-use cable cutter and stripper for data, telephone and network installations. It also works with standard wire and can be used with coaxial cable by adjusting the blade for various strip depths.

Specifications:

- Cuts and strips multiple cable types:
 - 4-, 6- and 8-conductor flat satin cables
 - 4-, 6- and 8-conductor UTP/STP data cables
 - 25-pair UTP/STP data and telephone cables
 - Multi-conductor round bundled cables with a maximum diameter of .5" (12.7 mm)
 - 14-8 AWG (2.5-75mm²) wire
- Nylon reinforced ABS plastic with stainless steel blade

Features and Advantages:

- Fully adjustable with simple thumb screw
- Self-regulating to prevent nicking
- Contoured finger grips for power cutting
- Lanyard holes for wrist straps or key chains
- Small and compact, slips right into a pocket
- Works left or right handed
- One-year warranty

Technical

Weight	2 oz. (57 g)
Length	4.53" (115 mm)

Ordering	Part Number
Data SureStrip	1116

AM 12 Cutter/Stripper

Ready for CAT-6 shielded twisted pair! Adjustable cable cutter and stripper for round cables, UTP and STP telephone and data cables like CAT-5, CAT-5e and CAT-6, and other flexible cables including RG58 and small coax.

- Strips round cables with diameters of 0.08-0.5" (2-12.5 mm)
- Strips outer jacket off UTP and STP data cable and CAT-5 round telephone cable
- Adjustable stripping blade for different insulation thicknesses prevents damage of shielding and conductors
- Length gauge for repeated cutting/stripping accuracy
- Cuts round, flexible copper cables up to 12 AWG (4 mm²)
- Use left or right handed
- One-year warranty

Technical

Weight	1.3 oz. (36 g)
Length	3.94" (100 mm)

Ordering	Part Number
AM 12 cutter/stripper	1112



Punchdown Stripper

Combine two frequent operations with this inexpensive and handy tool. Strips twisted-pair UTP/STP data cables and wires and terminates wires into 110 blocks. Easy to find in tool belt or box in bright Paladin Tools orange! Use on UTP/STP data cable, multi-pair cable, hook-up wire and more.

- Self-regulating strip depth
- Fast and easy to use
- Great for CAT-5, CAT-5e, and CAT-6 data cable
- Built-in 110 punchdown (punch only)
- One-year warranty

Technical

Weight	2 oz. (57 g)
Length	4" (102 mm)

Ordering

Ordering	Part Number
Punchdown stripper	1913



Non-Impact Punchdown Tools with Fixed Blades

Terminates and cuts telephone and data wire into various types of terminating panels including the 66, 88, 108, 109 and 110. For insulation displacement (IDC) type bifurcated terminals.

- Non-impact, low-cost punchdown for 110 and 66 types
- Solid or stranded, single insulation wire
- 28-22 AWG (0.08 - 0.5 mm²)
- Comfortable rubber handle grip
- Performs both cut and punch functions
- Perfect for small jobs and the do-it-yourself installer
- Fits in the palm of your hand
- Typically lower in cost than replacement blades for punchdown tools
- One-year warranty

Technical

Weight	3 oz. (86 g)
Length	4" (102 mm)

Ordering

Ordering	Part Number
110 Punchdown Tool	3580
66 Punchdown Tool	3581

Don't Let the Dark Terminate Your Work

SurePunch™ Pro Impact Termination Tool for wire preparation and panel maintenance



Another Paladin original – a detachable light!

Such a great idea, its patented!

Accepts all manufacturers' twist-and-lock-style blades

Pick separates bonded twisted pair, strips insulation or cuts wire

Hooks wire to feed through holes

Finger grips and non-slip, cushioned sides make it comfortable to use

Trusted Paladin Tools brand

Adjustable impact force to meet demands of all cables

Multi-use spudger: screwdriver and IDC contact insertion tool

Blade storage with latch cover and soft palm cushion area

SurePunch™ Pro Punchdown Tool



We improved the design of our SurePunch™ to make it more efficient and even more comfortable to use. The SurePunch™ Pro is the **FIRST AND ONLY** punchdown tool to have a detachable light making it easy to work in dark cabinets and buildings without power. Gone are the days of holding a flashlight in your teeth as you work!

Other improvements include a shorter handle and a spring mechanism requiring less hand force to actuate. Blades are available to terminate and cut 28-22 AWG (.08-.34 mm²) solid or stranded wire cable into a variety of termination panels.

Paladin's SurePunch™ Pro features:


- Detachable light with long-life LED specially designed to focus the light on the panel work area
- Luminous intensity of the LED is 2200 mcd
- Finger grips and non-slip rubber-embedded cushioned handle for comfort
- Multi-use spudger that can be used as a screwdriver or an IDC contact insertion tool
- Hook to feed wires through holes
- Pick to separate bonded twisted pair cables or to strip insulation and cut wire
- Adjustable HI/LO spring compression for all cable types.
LO= 27.5 lbs (122 N), HI= 37.5 lbs (167 N)
- Blades twist and lock into place and accepts other manufacturers' twist-and-lock style blades
- Blade storage area in end of handle with comfortable latch cover
- 10-year limited warranty on tool
- One-year limited warranty on blades and light

Ordering/Description	Part Number
<i>Tools with lights</i>	
SurePunch Pro PDT handle (no blade) and light	3590
SurePunch Pro PDT with 110 & 66 reversible cut & punch/punch-only blades & light	3587
SurePunch Pro PDT with 110/66 combination cut-only blade & light	3588
SurePunch Pro PDT with 110 reversible cut & punch/punch-only blade & light	3596
SurePunch Pro PDT with 66 reversible cut & punch/punch-only blade & light	3597
SurePunch Pro PDT with BIX™ cut-only (scissors-type) blade & light	3598
SurePunch Pro PDT with Krone LSA cut-only (scissors-type) blade & light	3599

Ordering/Description	Part Number
<i>Tools without lights</i>	
SurePunch Pro PDT handle (no blade)	3589
SurePunch Pro PDT with 110 & 66 reversible cut & punch/punch-only blades	3586
SurePunch Pro PDT with 110/66 combination cut-only blade	3591
SurePunch Pro PDT with 110 reversible cut & punch/punch-only blade	3592
SurePunch Pro PDT with 66 reversible cut & punch/punch-only blade	3593
SurePunch Pro PDT with BIX™ cut-only (scissors-type) blade	3594
SurePunch Pro PDT with Krone LSA (scissors-type) blade	3595

Ordering/Description	Part Number
SurePunch Pro detachable light and batteries	4599

See page 38 for individual blades



SurePunch™ Punchdown Tools

The soft, rubber-embedded handle provides a sure, comfortable grip with no slipping and cushions your palm as you punch down the wires. Lanyard holes in the end make the SurePunch™ PDT easy to carry and hard to misplace. Uses twist-and-lock-style blades (all brands).

Terminates and cuts telephone wire and data cable into a variety of termination panels including 66, 88, 108, 109, 110, BIX™ and Krone® LSA for insulation displacement (IDC) type bifurcated terminals. Paladin's SurePunch™ PDT is engineered with:

- Cushion grip, molded to the shape of your hand, for comfort and a sure, non-slip hold
- Increased HI/LO impact force to meet demands of new cable types and AWG sizes:
LO= 30 lbs (133 N), HI= 40 lbs (178 N)
- For 28-22 AWG (0.08 - 0.34 mm²), solid or stranded wire
- Blades twist and lock into place
- Cushioned heel for comfort in the palm of your hand
- New latch cover blade storage area in end of handle
- One-year warranty on tool & blades

Technical	Weight	Length
Tool only	7 oz. (200 g)	7" (196 mm)
Tool with blade	8.5 oz. (242 g)	8" (203 mm)

Ordering	Part Number
SurePunch PDT handle (no blade)	3570
SurePunch PDT with 110/66 combination cut-only blade	3571
SurePunch PDT with 110 reversible cut & punch/punch-only blade	3572
SurePunch PDT with 66 reversible cut & punch/punch-only blade	3573
SurePunch PDT with BIX™ cut-only (scissors type) blade	3574
SurePunch PDT with Krone® LSA (scissors type) blade	3575
SurePunch PDT with both 110 and 66 reversible cut & punch/punch-only blades	3579
SurePunch 110/66 combination cut-only blade	4571
SurePunch 110 reversible blade	4572
SurePunch 66 reversible blade	4573
SurePunch BIX™ cut-only blade	4574
SurePunch Krone® LSA cut-only blade	4575
SurePunch PDT nylon belt pouch	3578





Impact Punchdown Tools

Standard impact punchdown tool for terminating AWG 28-24 (.08 - .34 mm²) telephone cables into 66- 88-, 108-, 109-, 110-, 630A6- BIX™ - and Krone®-type bifurcated terminals.

- Standard impact compression design
- Adjustable HI/LO settings for compression force
- Impact force: HI= 35 lbs. (110 N), LO= 25 lbs. (155 N)
- Impact handle and blades available separately
- Reversible clip-in blades (except BIX & Krone)
- Spare blade stores in handle of tool (except BIX & Krone)
- Leather holster available to attach to belt
- Punches down with or without cut function (except BIX & Krone)
- Five-year warranty on tool and one-year on blades

Technical	Weight	Length
Tool only	5 oz. (142 g)	6.2" (158 mm)
Tool with blade	6 oz. (170 g)	7.2" (183 mm)

Ordering	Part Number
Impact punchdown (tool only)	3526
Impact punchdown w/66 blade	3527
Replacement 66 blade	4527
Impact punchdown w/110 blade	3528
Replacement 110 blade	4528
Impact punchdown w/630 blade	3535
Replacement 630 blade	4529
Impact punchdown w/BIX™-type blade	3536
Replacement BIX™-type blade	4530
Impact punchdown w/Krone®-type blade	3532
Replacement Krone®-type blade	4531
Replacement Krone®-LSA plus blade	4535
Leather holster	3526.2

ProPunch™ 110 Multi-pair Punchdown

Terminates and cuts up to five pairs of data/voice cable at the same time! We designed it to perform over 30,000 cycle punches and to terminate most 23 AWG cable pairs in one punch!

This tool delivers more than one and a half times the force of other multi-punchdown tools on the market today. The rugged "no-slip" handle fits comfortably in your hand with the handle end contoured to the heel of your hand.

- Fewer punches saves time
- Smooth operation and rugged, comfortable handle absorbs punch recoil
- Terminates 28-22 AWG (.08 - .34 mm²) solid or stranded wires with single insulation
- Cut and punch blade cassette or switch blades for punch only
- Designed to work with 23 AWG CAT 6 cable
- One-year warranty

Technical	Weight	Dimensions
Tool w/head	15.5 oz. (400 g)	10.3" L x 1.5" W x 2" D 261 mm L x 39 mm W x 52 mm D
Head only	3.5 oz. (102 g)	

Ordering	Part Number
ProPunch 110 with 5-pair head (complete tool)	3560
ProPunch 5-pair replacement head with blade cassette	4560
ProPunch 5-pair replacement blade cassette	4562
ProPunch 110 with 4-pair head (complete tool)	3561
ProPunch 4-pair replacement head with blade cassette	4561
ProPunch 4-pair replacement blade cassette	4563



SurePunch™ & Cut Kit

The kit contains the SurePunch™ PDT and Fiskars® datacomm scissors in a nylon pouch. Easy access to most common tools for telephone and datacomm technician. SurePunch™ PDT comes with combination 110/66 punch and cut blades. Ergonomic handle design and in-tool spare blade storage. Uses standard twist-and-lock-style blades.

- SurePunch™ PDT can punch and cut CAT-6 and 23 AWG in one cycle
- Fiskars® datacomm scissors feature an ergonomic design for the professional user
- Fiskars® datacomm scissors are fastened with a solid steel rivet and have stainless steel blades to cut copper or fiber optic cables
- Black nylon pouch is durable and long-lasting with sewn & reinforced 3" (76.2 mm) belt loop
- One-year warranty

Technical	
Weight	15 oz. (387 g)
Dimensions (in)	8.5" L x 2.75" W x 1.5" D
Dimensions (mm)	216 mm L x 76 mm W x 38 mm D

Ordering	Part Number
SureSnips Punch & Cut kit	3577
Nylon pouch only	3578
Replacement datacomm scissors	901513.1

Impact Punchdown Tool Kits

Standard impact punchdown tool kits for terminating AWG 28-24 (.08 - .34 mm²) telephone cables into 66, 88, 108, 109 and 110-type bifurcated terminals.

- Adjustable HI/LO settings for compression force
- Includes 66 and 110 blades which terminate 66-, 88-, 108-, 109- and 110-type terminals (P/N 3539)
- Same as above with leather holster (P/N 3540)
- Five-year warranty on tool and one-year on blades and pouch

Technical	Weight	Length
Punchdown w/blades	7.5 oz. (210 g)	7.2" (183 mm)
Punchdown w/blades & pouch	9 oz. (250 g)	8.2" (208 mm)

Ordering	Part Number
Impact punchdown w/66 & 110 blades	3539
Impact punchdown w/66 & 110 blades in leather pouch	3540
Replacement 66 blade	4527
Replacement 110 blade	4528
Leather holster	3526.2



Tools developed by cable installers for installers—FIBERFISH cable installation products are versatile, easily transportable and quick to put into action.



FiberSnake

Designed specifically for use in conduit, the FiberSnake comes in a 25' (7.6 m), 40' (12.2 m) or 100' (30.5 m) length and features:

- Fiberglass reinforced composite core with rugged plastic coating
- Bull nose at each end so wires can be pulled from either direction
- 25' & 40' models contained in a PVC storage case
- 100' model comes in a steel cage with a hand operated brake
- One-year warranty

Technical/Ordering

25' FiberSnake in PVC sleeve	
Weight	2 lbs. (57 g)
Dimensions	18" (45.8 cm)
Part Number	1753

40' FiberSnake in PVC sleeve	
Weight	2 lbs. (57 g)
Dimensions	18" (45.8 cm)
Part Number	1754

100' FiberSnake on wire reel cage	
Weight	13 lbs. (371 g)
Dimensions	22" x 17" x 12.5" 56 cm x 43 cm x 32 cm
Part Number	1755



100' FiberSnake on wire reel cage 1755



FIBERFISH 3" Rod Kit 1765

FIBERFISH Rod Kits

The FIBERFISH (3/16" rods) are non-conductive fiberglass available in 3' or 6' sections designed especially for retrofits. Rods screw together to make longer lengths for fishing wire in existing walls and attics or across drop ceilings or under carpet. Each rod includes a bullnose tip – other attachments sold separately.

- Simple to use for both beginners & professionals
- Comes in clear tube for easy storage
- Made in USA
- One-year warranty

Ordering	Weight	Part Number
FIBERFISH 6' Rod kit (5 rods)	1.6 lbs. (713 g)	1752
FIBERFISH 3' Rod kit (8 rods)	1.2 lbs. (570 g)	1765



Wire Reel holder

This holder allows you to pull cable easily and safely from a durable, lightweight frame. It handles multiple spools up to 26" (66 cm) in diameter. The crossbar sits 19" (48 cm) from the floor. Folds flat for easy storage and transport.

- One-year warranty

Technical

Weight	9 lbs. (4100 g)
Dimensions	31" W x 25" L x 2" D 79 cm x 64 cm x 5 cm

Ordering	Part Number
Wire reel holder	1756

FIBERFISH Attachment Kit

This handy kit contains 6 tips that affix to either the FIBERFISH rods, FiberSnake or the FlexFish to make it easier to go around obstacles encountered when pulling wire or cable. The kit includes: a hook, magnet head, 2 bull nose tips, a ball chain and pull ring in a plastic box with dividers.

- One-year warranty

Technical

Weight	6 oz. (171 g)
Length	4.25" W x 7.25" L x 1.5" D 11 cm x 18 cm x 4 cm

Ordering	Part Number
FIBERFISH attachment kit	1757





CrimpALL® Series Crimpers

The 8000 Series CrimpALL® was designed with user satisfaction in mind. This world-class crimp tool is designed for superior comfort and ease of use. It is an exceptional value and uses the same die sets as our 1300 Series crimpers.

Features:

- Ultra-smooth, fully ratcheting crimp cycle
- Built-in safety release
- Interchangeable die sets of heat-treated steel for long life
- Soft, rubber-embedded handles
- Long-lasting tool that delivers over 50,000 crimp cycles
- Rugged, double-plated jaw design to increase life span
- 10-year warranty

Advantages:

- Angled head to prevent awkward wrist bending during operation
- Reduced handle grip distance makes it easy for both small and large hands
- Higher crimp force produced with less hand force so hand doesn't tire as quickly
- No breakover hand force – the effort required by most crimpers to make the last click at the end of the cycle to complete the crimp – the CrimpALL does the work!
- Manufactured using the newest fine blanking technologies
- EZI-Change™ die screws make changing dies quick and easy – no screwdriver required

Technical	Weight	Length
CrimpALL® tool frame	21 oz. (600 g)	9.84" (250 mm)
Die set	2 oz. (57 g)	

Ordering	Part Number
CrimpALL® tool frame	8000
Replacement EZI-Change™ die screws (2)	2303
Replacement fixed die screws (2)	2306
Replacement handles	8000.9

Reduced grip distance

No breakover force



The first crimp tool with a double-plated jaw design for longer life span



Comfortable to use for any size hand.

Lanyard hole



Ultra-smooth ratchet design makes this tool a dream to use.


Part Numbers	Description	Crimp Style (28-22 AWG / .08-.34mm ²)	Manufacturers
 Tool & Die: 8030 Die Only: 2061	RJ45 - 8P8C (8 Pin)	Flat/Round, Solid/Stranded/ RJ45 Unkeyed WE and SS	Western Electric (WE) Stewart Connector (SS)
 Tool & Die: 8031 Die Only: 2062	RJ11 & RJ12 - 6P6C, 6P4C, 6P2C	Flat/Round, Solid/Stranded/ RJ11/RJ12 Unkeyed WE and SS	Western Electric (WE) Stewart Connector (SS)
 Tool & Die: 8032 Die Only: 2063	RJ22, Handset 4P4C (4 Pin)	Flat/Round, Solid/Stranded/ 4 Pin Handset WE and SS	Western Electric (WE) Stewart Connector (SS)
 Tool & Die: 8033 Die Only: 2064	RJ45 - 8P8C (8 Pin)	Flat/Round, Solid/Stranded/ RJ45 Unkeyed AMP	AMP (Tyco) Inc. Connectors Only
 Tool & Die: 8034 Die Only: 2065	RJ11 & RJ12 - 6P6C, 6P4C, 6P2C	Flat/Round, Solid/Stranded/ RJ11/RJ12 Unkeyed AMP	AMP (Tyco) Inc. Connectors Only
 Tool & Die: 8035 Die Only: 2067	RJ11 DEC-MMJ OFFSET (6P6C)	Flat/Round, Solid/Stranded/ RJ11 DEC-MMJ OFFSET	AMP (Tyco) Inc. Connectors Only
 Tool & Die: 8036 Die Only: 2068	RJ50 - 10P10C (10 Pin)	Flat/Round, Solid/Stranded/ RJ50 Unkeyed WE and SS	Virginia Plastics (VP)
 Tool & Die: 8038 Die Only: 2032	British Telecom 6 Pole Plug	Flat/Round, Solid/Stranded/ BT 6 Pole	British Telecom Plugs Only
 Tool & Die: 8040 Die Only: 2670	SHIELDED RJ45, Stewart Connector, Short Body	Round, Shielded (STP), RJ45 STP Stewart Connector, Short Body	Stewart Connector
 Tool & Die: 8041 Die Only: 2671	SHIELDED RJ45, Hirose Connectors, Long Body	Round, Shielded (STP), RJ45 STP Hirose Connectors, Long Body	Hirose
 Tool & Die: 8042 Die Only: 2672	SHIELDED RJ45, Hirose Connectors, Short Body	Round, Shielded (STP), RJ45 STP Hirose Connectors, Short Body	Hirose
 Tool & Die: 8043 Die Only: 2673	SHIELDED RJ45, Molex Connectors, for 5.0 dia. Cable	5.0mm Dia. Round, Shielded (STP), RJ45 STP Molex Connectors, 5.0mm dia cable	Molex
 Tool & Die: 8044 Die Only: 2674	SHIELDED RJ45, AMP/Molex Connectors, for 6.0 dia. Cable	6.0mm Dia. Round, Shielded (STP), RJ45 STP AMP & Molex, 6.0mm dia cable	AMP (Tyco) Inc. & Molex
 Tool & Die: 8046 Die Only: 2688	RJ45 SNAGLESS - 8P8C (8 PIN)	Flat/Round, Solid/Stranded, RJ45 Unkeyed WE/SS	Western Electric (WE) Stewart Connector (SS) Hubbell Premise Wiring
 Tool & Die: 8045 Die Only: 2687	RJ45 WE/SS & RG6/RG6 Quad CATV "F"	UTP 4-Pair & RG6/RG6 Quad RJ45 WE/SS 8-pin & .360"(9.1mm) HEX/.324"(8.2mm) HEX	For Standard RJ45 WE/SS Modular Plugs and 1-piece RG6/RG6 Quad CATV "F" conns.

New

New

Easy to grip even when fully open.





1300 Series Crimpers

Paladin's 1300 Series is the original interchangeable-die crimping system – all the rest are mere copies of our innovation. It continues to be the answer for precision-crimping at an affordable price with over 45 die sets available for the most popular connectors. See crimp chart for specific connector and crimp dimensions.

Features:

- Fully-ratcheting cycle with built-in safety release
- Interchangeable die sets of heat-treated steel for long life
- Easy to use and maintain
- Available as complete tool with die set inserted or separate tool frame and individual die sets
- Foam-lined case available to hold frame and 6 die sets together
- Five-year warranty

Advantages:

- EZI-Change™ die screws make changing dies quick and easy – no screwdriver required
- Most precise and tightest tolerances on die sets in the industry
- Six ratchet gear settings for optimum crimp performance (see page for 115 for additional details)

Technical	Weight	Length
Crimp tool frame	10.4 oz (296 g)	8.9" (225 mm)
Die set	2 oz. (57 g)	

Ordering	Part Number
Crimp tool frame	1302
Replacement EZI-Change™ die screws (2)	2303
Replacement fixed die screws (2)	2306
Replacement handles	1300.9
1300 crimp case	901013



Part Numbers	Description	Crimp Style (28-22 AWG / .08-.34mm ²)	Manufacturers
 Tool & Die: 1307 Die Only: 2061	RJ45 - 8P8C (8 Pin)	Flat/Round, Solid/Stranded/ RJ45 Unkeyed WE and SS	Western Electric (WE) Stewart Connector (SS)
 Tool & Die: 1340 Die Only: 2062	RJ11 & RJ12 - 6P6C, 6P4C, 6P2C	Flat/Round, Solid/Stranded/ RJ11/RJ12 Unkeyed WE and SS	Western Electric (WE) Stewart Connector (SS)
 Tool & Die: 1341 Die Only: 2063	RJ22, Handset 4P4C (4 Pin)	Flat/Round, Solid/Stranded/ 4 Pin Handset WE and SS	Western Electric (WE) Stewart Connector (SS)
 Tool & Die: 1342 Die Only: 2064	RJ45 - 8P8C (8 Pin)	Flat/Round, Solid/Stranded/ RJ45 Unkeyed AMP	AMP (Tyco) Inc. Connectors Only
 Tool & Die: 1343 Die Only: 2065	RJ11 & RJ12 - 6P6C, 6P4C, 6P2C	Flat/Round, Solid/Stranded/ RJ11/RJ12 Unkeyed AMP	AMP (Tyco) Inc. Connectors Only
 Tool & Die: 1344 Die Only: 2067	RJ11 DEC-MMJ OFFSET (6P6C)	Flat/Round, Solid/Stranded/ RJ11 DEC-MMJ OFFSET	AMP (Tyco) Inc. Connectors Only
 Tool & Die: 1345 Die Only: 2068	RJ50 - 10P10C (10 Pin)	Flat/Round, Solid/Stranded/ RJ50 Unkeyed WE and SS	Virginia Plastics (VP)
 Tool & Die: 1361 Die Only: 2032	British Telecom 6 Pole Plug	Flat/Round, Solid/Stranded/ BT 6 Pole	British Telecom Plugs Only
 Tool & Die: 1370 Die Only: 2670	SHIELDED RJ45, Stewart Connector, Short Body	Round, Shielded (STP), RJ45 STP Stewart Connector, Short Body	Stewart Connector
 Tool & Die: 1371 Die Only: 2671	SHIELDED RJ45, Hirose Connectors, Long Body	Round, Shielded (STP), RJ45 STP Hirose Connectors, Long Body	Hirose
 Tool & Die: 1372 Die Only: 2672	SHIELDED RJ45, Hirose Connectors, Short Body	Round, Shielded (STP), RJ45 STP Hirose Connectors, Short Body	Hirose
 Tool & Die: 1373 Die Only: 2673	SHIELDED RJ45, Molex Connectors	5.0mm Dia. Round, Shielded (STP), RJ45 STP Molex Connectors	Molex
 Tool & Die: 1374 Die Only: 2674	SHIELDED RJ45, AMP/Molex Connectors	6.0mm Dia. Round, Shielded (STP), RJ45 STP AMP & Molex	AMP (Tyco) Inc. & Molex
 Tool & Die: 1388 Die Only: 2688	RJ45 SNAGLESS - 8P8C (8 PIN)	Flat/Round, Solid/Stranded, RJ45 Unkeyed WE/SS	Western Electric (WE) Stewart Connector (SS) Hubbell Premise Wiring
 Tool & Die: 1387 Die Only: 2687	RJ45 WE/SS & RG6/RG6 Quad CATV "F"	UTP 4-Pair & RG6/RG6 Quad RJ45 WE/SS 8-pin & .360"(9.1mm) HEX/.324"(8.2mm) HEX	For Standard RJ45 WE/SS Modular Plugs and 1-piece RG6/RG6 Quad CATV "F" conns.

New

New



1302

NOW
features soft,
rubber-embedded
handles for
more comfort



NOW
features soft,
rubber-embedded
handles for
more comfort



All-in-One Ultra Telephone Tools

Our best all-in-one tool! Ultra-professional all-in-one crimping tools for AMP (Tyco) or Western Electric (WE)/ Stewart Stamping (SS)-type, 4-, 6- and 8-position modular plugs.

- 4 crimp functions with a single tool without changing dies
- Crimps 4-position RJ22 handset
- Crimps 4- and 6-position RJ11/RJ12 connectors
- Crimps 8-position RJ45 (non-keyed)
- Embedded cable cutter and stripper
- Crimps 28-24 AWG (.08 - .20 mm²) telephone and data cables
- Advanced ratchet system
- Precision die-cast aluminum head
- Crimps 6-position RJ11-DEC offset type connectors (P/N 901014)
- Lifetime warranty

Technical	
Weight	19 oz. (525 g)
Length	8.07" (205 mm)

Ordering	Part number
All-in-One Ultra Telephone Tool AMP (Tyco)	901014
All-in-One Ultra Telephone Tool (WE/SS)	901016
Replacement blade kit	2530

All-in-One Pro Telephone Tools

Does everything from CAT-3 to CAT-5e! All-in-one crimping tool for Western Electric (WE)/ Stewart Stamping (SS) and AMP (Tyco) type, 4-, 6- and 8-position modular telephone plugs.

- Crimps 4-position RJ22 connectors
- Crimps 4- and 6-position RJ11/RJ12 connectors
- Crimps 8-position RJ45 (non-keyed) connectors
- Embedded cable cutter and stripper
- Crimps 28-24 AWG (.08 - .20 mm²) telephone and data cables
- Comfortable rubber-embedded handles
- Built-in safety ratchet release
- Five-year warranty

Technical	
Weight	19 oz. (525 g)
Length	8.07" (205 mm)

Ordering	Part number
All-in-One Pro Telephone Tool (WE/SS)	1530R
All-in-One Pro Telephone Tool AMP (Tyco)	1540
Replacement blade kit	2530

New




All-in-One Telephone Tool

Our best value all-in-one tool on the market! All-in-one crimping tool for Western Electric (WE)/ Stewart Stamping (SS) type and Tyco (AMP) type, 6- and 8-position modular telephone plugs.

- Ratcheted design
- Embedded cable cutter and stripper
- Crimps 6-position RJ11/RJ12 connectors
- Crimps 8-position RJ45 connectors
- Crimps 28-24 AWG (.08 - .20 mm²) telephone and data cables
- One-year warranty

Technical	
Weight	19 oz. (525 g)
Length	8.07" (205 mm)

Ordering	Part Number
All-in-One Telephone Tool (WE/SS)	1545
All-in-One Telephone Tool AMP (Tyco)	1554
Replacement blade kit	2530



Pocket Probe Pick

Probe pick for pulling wire, slicing, stripping cable and cleaning debris off terminal panels. Small and lightweight—pen-sized with clip for carrying in pocket.

- Spudger tip
- Wire hook
- Wire stripper and slitting tooth
- Non-conductive scraping tip
- One-year warranty

Technical	
Weight	3 oz. (86 g)
Length	6.5" (166 mm)

Ordering	Part Number
Pocket probe pick	1915



Twisted Pair Modular Connectors

Paladin Tools offers an affordable one-stop source for modular connectors and crimping tools. Whether your application is LAN, data, telephone, computer or communications, we provide a quality connector and crimper.

Ordering (Quantity)	Part Number
RJ45, WE/SS, 8P8C, round cable, stranded (Qty. 10)	9521
RJ45, WE/SS, 8P8C, CAT-5 liner, round cable, solid (Qty. 10)	9535
RJ45, WE/SS, 8P8C, round cable, solid (Qty. 10)	9543
RJ45, AMP (Tyco), 8P8C, CAT-5 round cable, stranded (Qty. 10)	9544
RJ12, AMP (Tyco), 6P6C, round cable, solid (Qty. 10)	9545
RJ45, WE/SS, 8P8C, CAT-5 round cable, solid (Qty. 10)	9546



Can Wrench

Telephone termination panel tool for wire stripping of 22/4 and 24/4 telephone cable.

- Strips PVC insulation
- Strips outer jacket of AWG 22/4 and 24/4 telephone cable
- Strips insulation of AWG 22 (.34 mm²) and AWG 24 (.20 mm²) wire
- 3/8" (9.5mm) and 7/16" (11mm) hex sockets for accessing panels
- Durable shock-resistant design
- One-year warranty

Technical	
Weight	5 oz. (140 g)
Length	7.87" (200 mm)

Ordering	Part Number
Can wrench	1900





4-6-8 Modular Adapters

Use these adapters to connect butt sets, telephone test sets, tone generators and network test equipment to data and telephone lines using modular plug connections to test the data and signals being carried.

- Nylon-reinforced ABS plastic body
- Easy-to-read wire layout
- Removable/replaceable patch cord
- Inline adapters
- Snagless plugs
- Belt clip
- Notched copper contacts keep alligator clips attached during testing
- One-year warranty

Technical

Weight	3 oz. (85 g)
Dimensions (in)	2.6" L x 1.78" W x 0.82" H
Dimensions (mm)	66.2 mm L x 45 mm W x 21 mm H

Ordering	Part Number
RJ45 modular adapter (8-way)	1902
RJ11 modular adapter (6-way)	1903
RJ22 modular adapter (4-way)	1904



PC Cable-Check® Tester

Our most popular tester ... now with USB! Trouble shoot layer one and peripheral activity. Local tester for most computer cables including D-subminiature, coaxial, RJ11/RJ45 telephone cables and USB.

- Tests USB A to USB B
- Easy to use and read LED display
- Tests continuity of male and female 9-pin, 15-pin, 15-pin high density and 25-pin D-subminiature cables
- Tests continuity of: 36-pin Centronics printer cables, RJ11, RJ12 and RJ45 phone cables, and 50 and 75 ohm coaxial cables
- Tests D-sub and phone cables up to 1000' (305 meters)
- Tests 50 ohm cables up to 1000' (305 meters) and 75 ohm cables up to 600' (183 meters)
- Low battery indicator
- 9-volt battery included
- One-year warranty

Technical

Weight	24 oz. (630 g)
Dimensions (in)	9.6" H x 5.4" W x 1.6" D
Dimensions (mm)	244 mm H x 137 mm W x 41 mm D
Power reqs.	9VDC battery (one)
Output signal	8VDC@10mA

Ordering	Part Number
PC Cable-Check® tester	1570
Adapter, CATV "F" (female) to BNC (male)	901074



Patch-Check® Tester

Performs true cable mapping! Local continuity tester for telephone and data cables with RJ11 and RJ45 modular plugs.

- Tests local patch cables
- Tests cables up to 1000' (305 meters)
- Identifies open, crossed and shorted connections
- Tests RJ11 DEC-MMJ connectors using adapter couplings
- Identifies connector & cable pin-out using true cable mapping, not pairing
- Push-button operation
- Unshielded RJ45 modular-plug socket connection
- 9-volt battery included
- One-year warranty

Technical

Weight	5 oz. (140 g)
Dimensions	4.6" H x 2.8" W x 1" D 117 mm H x 71.2 mm W x 25 mm D
Power reqs.	9VDC battery (one)
Output signal	8VDC@10mA

Ordering

Ordering	Part Number
Patch-Check® tester	1529



Patch-Check® Plus Tester

Test UTP cables installed in walls! Remote tester (transmitter & receiver) for telephone and data cables with RJ11 and RJ45 modular plugs. Works on crossover telephone networks.

- Tests remote cables installed through walls or bulkheads
- Tests cables up to 1200' (365 meters)
- Identifies connector & cable pin-out using true cable mapping, not pairing
- Identifies open, crossed and shorted connections
- Includes RJ11, RJ11 DEC-MMJ and RJ45 patch cords (two each)
- Tests RJ11 DEC-MMJ connectors using adapter couplings
- Push-button operation
- Unshielded RJ45 modular-plug socket connection
- 9-volt batteries included (two)
- One-year warranty

Technical

Patch-Check® Plus transmitter

Weight	5 oz. (140 g)
Dimensions(in)	5.8" H x 3.6" W x 1.3" D
Dimensions(mm)	147 H x 91.5 W x 33 D
Power reqs.(ea.)	9VDC battery (one)
Output signal	5VDC@5mA

Patch-Check® Plus receiver

Weight	4 oz. (112 g)
Dimensions(in)	4.6" H x 2.8" W x 1" D
Dimensions(mm)	117 H x 71.2 W x 25 D
Power reqs.(ea.)	9VDC battery (one)
Output signal	varies by test performed

Ordering

Ordering	Part Number
Patch-Check® Plus tester	1531



LAN ProNavigator™ Tester & Remote

If you're a technician on the go, you need the LAN ProNavigator™ from Paladin Tools! Two-piece tester includes main unit and remote with test results at both ends.

Features:

- One-button, simple testing (PASS/FAIL or fault find)
- Traces wires with tone & remote lights
- Quick fault analysis on coax & data cables
- CAT-5, CAT-5e or CAT-6 (UTP/STP) cable testing
- Detects Opens, Shorts, Crossed Wires & Split Pairs
- Compact & lightweight, comfortable to hold
- Test status lights at both ends (main unit & remote)

Specifications:

- Simple PASS/FAIL test results in one second allows technicians to quickly move on to the next test site.
- Generates oscillating audio tone for use with tone probes to locate cables.
- Tests data and telephone cables up to 320 feet (100 meters) for proper pairing for EIA/TIA-568A, EIA/TIA-568B, Token Ring, 10 Base T, and common Category 5 configurations.
- Tests unshielded UTP and shielded STP data cable.
- Detects good connections, open connections, crossed wires and split pairs.
- Tests common BNC connected 50 and 75 ohm coaxial cables up to 320 feet (100 meters) for continuity.
- Tests coaxial cable types RG58, RG59, RG6, RG6 Quad, Belden 8281, RG8, RG11 and more.
- Belt clips provided and lanyard holes embedded in case to attach to belt or wrist.
- Features low battery test and auto-off function to preserve battery life.
- Includes standard 9-volt dc battery.
- One-year warranty



Technical	Main	Remote	Kit
Weight	8 oz. (228 g)	2 oz. (57 g)	2.5 lbs. (1140 g)
Dimensions	3.45" x 2.9" x 1.85"	3.45" x 1.6" x 0.9"	8.5" x 7.6" x 3"
	88mm x 74mm x 47mm	87mm x 41mm x 24mm	216 mm x 193mm x 76mm

Ordering	Part Number
LAN ProNavigator™ test set (main & remote), 2 RJ45 patch cords, 2 belt clips, 12 oz.(342 g)	1543
LAN ProNavigator™ replacement remote unit with belt clip	1544
LAN ProNavigator™ test set (main & remote), 2 RJ45 patch cords, 2 BNC coaxial cables, 2 CATV "F"-to-BNC adapters, 1 BNC/BNC adapter, 1 shielded RJ45 coupler, 2 belt clips in durable case	901066
Adapter, CATV "F" (female) to BNC (male)	901074



Speaker Probes and Tone Generator

New Locate and test cables anywhere! Together, provides full-range testing of continuity, line condition, signal tracing and wire identification.

Speaker probe:

- Tests continuity and signal of installed wire and cable through walls and thick cable insulation
- Quickly and easily identify cable pair carrying a tone signal
- Identifies patch and termination point of wire
- Audible speaker enables use without a butt set
- Inductive pick-up receiver
- **Tone probe cable tracer (P/N 1571)** has 3 operating modes: speaker and light, speaker only or light only
 - Light mode uses gain control circuitry and operates only when it receives true signal and not just random noise
 - Non-inductive tip, spare included
 - Adjustable volume control
 - 9-volt battery included
- One-year warranty

Tone generator: (P/N 1572)

- Injects tone down data, phone and power cables
- Tests polarity of phone cables and status of lines
- Continuous or alternating tone function available
- Bright, visible LEDs for testing
- Low battery indicator
- Extra long alligator clips. RJ45 and RJ11 cords also included.
- 9-volt battery included
- One-year warranty

Technical	Weight	Length
	4 oz. (114 g)	9.5" (241 mm)

Ordering	Part Number
Tone probe cable tracer	1571
Tone generator	1572
Tone probe cable tracer and generator in pouch	4359

Cable Fault Identifier TDR Tester

New Advantages:

- Tests cable up to 3,200' (975 m) in length
- Accuracy rate of +/- 1.5%, most accurate True TDR technology
- Super fast test results in only one second!

Function: True TDR Technology

- Check length of cable
- Check amount of cable remaining on spool
- Check distance to short
- Check distance to open
- Detects live voltage

Features:

- Built-in tone generator with warble tone
- Pre-programmed NVP values for common cable types
- Easy to read large display
- Small and lightweight
- Simple push button operation
- Requires only one 9V battery - included!

Ordering/Discription	Part Number
Cable Fault Identifier TDR Tester with BNC-to-alligator clips and 9V battery	1549.1



Now includes our NEW tone & probe! (not pictured)

Premise Service Kit

Our biggest data, voice, and coaxial LAN installation kit provides everything for twisted pair and coaxial cable installation. All tools contained in a professional blow-mold case complete with form-fitting foam.

Kit Contains:



Description	Model	Quick Reference
KT 8 round cable cutter	900265	pg. 32
Data SureStrip™ UTP/STP & flat satin cutter/stripper	1116	pg. 34
LC CST-58/59 coax stripper	1255	pg. 71
FlatCat™ flat satin cable cutter/stripper	1160	pg. 22
CrimpALL® Crimp Frame with EZI-CHANGE™ thumb screws	8000	pg. 42
Die sets:		
RJ45 WE/SS-style	2061*	pg. 43
RJ11/12 WE/SS-style	2062*	pg. 43
RG58/59/62AU BNC/TNC	2034	pg. 75
SurePunch™ PDT punchdown tool	3570	pg. 38
SurePunch™ 110 reversible blade	4572	pg. 38
SurePunch™ 66 reversible blade	4573†	pg. 38
LAN ProNavigator™ tester	1543	pg. 50
Speaker probe with volume control and light	1571	pg. 51

- One-year warranty on kits; individual warranties apply to each tool

Technical

Weight	7.6 lbs. (3.5 Kg)
Dimensions (in)	17" W x 13.4" L x 4.5" D
Dimensions (mm)	432 mm W x 341 mm L x 115 mm D

Ordering

	Part Number
Premise Service Kit	901039
 Premise Service Kit - AMP/Krone*†	9010391
 Premise Service Kit - AMP/BIX*†	9010392

*WE/SS-style replaced with AMP-style. †66 blade replaced with BIX or Krone

Data/Voice PRO Kit

A complete data and voice installation kit providing everything for installing data and telephone (voice) cables and modular plug cable systems. All tools contained in a professional-quality blow molded case complete with form-fitting foam. Easy to see if tools are missing before you leave an installation job.

Kit Contains:



Description	Model	Quick Reference
KT 8 round cable cutter	900265	pg. 32
Data SureStrip™ UTP/STP & flat satin cutter/stripper	1116	pg. 34
1300 Series Crimp Frame with EZI-CHANGE™ thumb screws	1302	pg. 44
Die sets:		
RJ45 WE/SS 8P8C (8-pin)	2061*	pg. 45
RJ11/12 WE/SS 6P6C, 6P4C, 6P2C	2062*	pg. 45
SurePunch™ impact punchdown tool	3570	pg. 38
SurePunch™ 110 blade	4572	pg. 38
SurePunch™ 66 blade	4573†	pg. 38
Speaker probe with volume control and light	1571	pg. 51
Tone generator	1572	pg. 51
Blow-molded case with form fitting foam		N/A

- One-year warranty on kits; individual warranties apply to each tool

Technical

Weight	6 lbs. (2.75 Kg)
Dimensions (in)	17" W x 13.4" L x 4.5" D
Dimensions (mm)	432 mm W x 341 mm L x 115 mm D

Ordering

	Part Number
Data/Voice PRO Kit	901379
 Data/Voice PRO Kit - AMP/Krone*†	9013791
 Data/Voice PRO Kit - AMP/BIX*†	9013792

*WE/SS-style replaced with AMP-style. †66 blade replaced with BIX or Krone



DataReady™ PRO Kit

A complete data cable installation kit providing everything to support the installer using commonly-available connectors, and punchdown termination blocks. All tools contained in a professional-quality, soft-sided zipper case with heavy-duty wrist strap.

Kit Contains:



Description	Model	Quick Reference
Data SureStrip™ UTP/STP & flat satin cutter/stripper	1116	pg. 34
CrimpALL® Crimp Frame with EZI-CHANGE™ thumb screws	8000	pg. 42
Die sets:		
RJ45 WE/SS-style	2061	pg. 43
RJ11/12 WE/SS-style	2062	pg. 43
RJ22 Handset	2063	pg. 43
RJ45 AMP/Tyco-style	2064	pg. 43
RJ11 DEC-MMJ	2067	pg. 43
SurePunch™ PDT punchdown tool	3570	pg. 38
SurePunch™ 110 reversible blade	4572	pg. 38
SurePunch™ 66 reversible blade	4573*	pg. 38
LAN ProNavigator™ tester	1543	pg. 50

- One-year warranty on kits; individual warranties apply to each tool

Technical

Weight	4 lbs. (1.83 Kg)
Dimensions (in)	10" W x 7.5" L x 2" D
Dimensions (mm)	254 mm W x 191 mm L x 51 mm D

Ordering

	Part Number
DataReady™ PRO Kit	901378
 DataReady™ PRO Kit - Krone	9013781
 DataReady™ PRO Kit - BIX	9013782

*66 blade replaced with Krone or BIX for models 9013781 and 9013782



DataReady™ Kit

The complete Category 5 datacomm tool set in a handy zipper case! Everything needed for a CAT-5 installation except the cable. The DataReady™ Kit includes:

Kit Contains:



Description	Model	Quick Reference
AM 12 UTP/STP cutter/stripper	1112	pg. 34
All-in-one telephone tool for RJ45 & RJ11 modular plugs (WE/SS)	1545*	pg. 47
Standard impact punchdown tool	3526	pg. 39
Standard 110 blade	4528	pg. 39
Standard 66 blade	4527†	pg. 39
Patch-Check® tester	1529	pg. 49
RJ45 connectors	9546	pg. 47*
Zipper case with carrying strap	901059	N/A

- One-year warranty on kits; individual warranties apply to each tool

Technical

Weight	3 lbs. (1.4 Kg)
Dimensions (in)	10" W x 7.5" L x 2" D
Dimensions (mm)	254 mm W x 191 mm L x 51 mm D

Ordering

	Part Number
DataReady™ Kit	901053
 DataReady™ Kit - AMP/Krone	9010531
 DataReady™ Kit - AMP/BIX	9010532

* WE/SS - style replaced with AMP - style

† 66 blade replaced with BIX or Krone



Now includes our NEW Data SureStrip! (not pictured)



Installer Belt Pouch

New A heavy-duty nylon belt pouch with pockets to hold all the tools you need for telecom and datacomm installation. If you already have these great Paladin Tools and just need a handy way to carry your tools, the pouch is available separately.

- One-year warranty on kit; individual warranties apply to each tool

Kit Contains:

Description	Model	Quick Reference
Can wrench	1900	pg. 47
Utility knife	1905	pg. 33
Ergonomic datacomm scissors	901513.1	pg. 33
Data SureStrip™ UTP/STP & flat satin cutter/stripper	1116	pg. 34
SurePunch™ PDT punchdown tool	3570	pg. 38
SurePunch™ 110 reversible blade	4572	pg. 38
SurePunch™ 66 reversible blade	4573	pg. 38
Pocket probe pick	1915	pg. 47

Technical

Weight	25 oz. (713 g)
Dimensions (in)	8.25" W x 5" L x 2" D
Dimensions (mm)	210 mm W x 127 mm L x 50.8 mm D

Ordering

Ordering	Part Number
Installer Belt Pouch	4382
Pouch Only	4380

LAN ProNavigator™ Test Set

If you're a technician on the go, you need the LAN ProNavigator™ from Paladin Tools! Two-piece tester includes main unit and remote with test results at both ends.

Kit Contains:

Description	Model	Quick Reference
LAN ProNavigator™ test set (main & remote)	1543	pg. 50
2 RJ45 patch cords	N/A	
2 BNC coax cables	N/A	
2 CATV "F"-to-BNC adapters	N/A	
1 BNC/BNC adapter	N/A	
1 shielded RJ45 coupler	N/A	
2 belt clips	N/A	

- One-year warranty

Technical

Weight	2.5 lbs. (1140 g)
Dimensions (in)	8.5" x 7.6" x 3"
Dimensions (mm)	217 mm W x 194 mm L x 77 mm D

Ordering

Ordering	Part Number
LAN ProNavigator™ Test Set	901066



CAT-5 Kit

Basic assembly and test kit for Category 5, 10-Base T Ethernet and AT&T network cabling.

Kit Contains:

Description	Model	Quick Reference
KT8 round cable cutter	900265	pg. 32
RJ45 1300 Series crimp tool	1307	pg. 45
RJ45 standard plugs (50 pcs.)	9546	pg. 47
Patch-Check® tester	1529	pg. 49

- One-year warranty on kits; individual warranties apply to each tool

Technical

Weight	4 lbs. (1.9Kg)
Dimensions (inches)	12.2" W x 8.1" L x 3.5" D
Dimensions (mm)	310mm W x 206mm L x 89mm D

Ordering

Ordering	Part Number
CAT-5 kit	1588



UTP Termination Kit

Unshielded termination kit for assembly and testing of telephone, data and network cabling systems.

Kit Contains:

Description	Model	Quick Reference
stripax® pro cutter/stripper	1113	pg. 91
FlatCat™ flat satin cable cutter/stripper	1160	pg. 22
1300 Series Crimp Frame with EZI-CHANGE™ thumb screws	1302	pg. 44
Die sets:		
RJ45 WE/SS-style	2061	pg. 45
RJ11/12 WE/SS-style	2062	pg. 45
Connectors:		
RJ11 (30 pcs.)	9520	pg. 47
RJ45 stranded (15 pcs.)	9521	pg. 47
RJ45 solid (15 pcs.)	9543	pg. 47
Patch-Check® tester	1529	pg. 49

- One-year warranty on kits; individual warranties apply to each tool

Technical

Weight	4 lbs. (1.9Kg)
Dimensions (inches)	12.2" W x 8.1" L x 3.5" D
Dimensions (mm)	310mm W x 206mm L x 89mm D

Ordering

Ordering	Part Number
Professional UTP termination kit	1587



Paladin CrimpALL® Data Pack

Contains the ergonomically designed CrimpALL® tool frame and the four most popular datacomm die sets with our new Lil' Splitter! In rugged black nylon pack with belt loop and wrist strap. Outside holster can hold crimp tool and more!

Kit Contains:

Description	Model	Quick Reference
CrimpALL® Crimp Frame	8000	pg. 42
Die sets:		
RJ45 WE/SS-style	2061	pg. 43
RJ11/12 WE/SS-style	2062	pg. 43
RJ22 handset	2063	pg. 43
RJ11 DEC-MMJ	2067	pg. 43
Lil' splitter	1901	pg. 33

- One-year warranty on kits; individual warranties apply to each tool

Technical

Weight	40 oz. (1.15Kg)
Dimensions	4.5" W x 11" L x 2.5" D

Ordering

Ordering	Part Number
Paladin CrimpALL® data pack (shown)	4801
Paladin CrimpALL® crimp pack (frame & case)	4800

Paladin CrimpALL® DIY Home Pack

Contains the five most common die sets for home cabling—data, telephone, electrical, hookup and CATV! In rugged black nylon pack with belt loop and wrist strap. Outside holster can hold crimper and more tools!

Kit Contains:

Description	Model	Quick Reference
CrimpALL® Crimp Frame	8000	pg. 42
Die sets:		
RJ11/12 WE/SS-style	2062	pg. 43
RJ22 handset	2063	pg. 43
RJ45 & RG6/6 QS CATV "F"	2687	pg. 43
Insulated terminals, 22-10 AWG	2035	pg. 97

- One-year warranty on kits; individual warranties apply to each tool

Technical

Weight	44 oz. (1.3Kg)
Dimensions	4.5" W x 11" L x 2.5" D

Ordering

Ordering	Part Number
Paladin CrimpALL® DIY home pack	4803



Paladin 1300 Data Pack

Contains the four most popular datacomm die sets and our new Lil' Splitter! In rugged black nylon pack with belt loop and wrist strap. Outside holster can hold crimp tool and more!

Kit Contains:

Description	Model	Quick Reference
1300 Series Crimp Frame with EZI-CHANGE™ thumb screws	1302	pg. 44
Die sets:		
RJ45 WE/SS-style	2061	pg. 45
RJ11/12 WE/SS-style	2062	pg. 45
RJ22 handset	2063	pg. 45
RJ11 DEC-MMJ	2067	pg. 45
Lil' splitter	1901	pg. 33

- One-year warranty on kits; individual warranties apply to each tool

Technical

Weight	38 oz. (1.1Kg)
Dimensions	4.5" W x 11" L x 2.5" D

Ordering

	Part Number
Paladin 1300 data pack (shown)	4301
Paladin 1300 crimp pack (frame & case)	4300

Paladin 1300 DIY Home Pack

Contains the five most common die sets for home cabling—data, telephone, electrical, hookup and CATV! In rugged black nylon pack with belt loop and wrist strap. Outside holster can hold crimper and more tools!

Kit Contains:

Description	Model	Quick Reference
1300 Series Crimp Frame with EZI-CHANGE™ thumb screws	1302	pg. 44
Die sets:		
RJ11/12 WE/SS-style	2062	pg. 45
RJ22 handset	2063	pg. 45
RJ45 & RG6/6 QS CATV "F"	2687	pg. 45
Insulated terminals, 22-10 AWG	2035	pg. 97

- One-year warranty on kits; individual warranties apply to each tool

Technical

Weight	40 oz. (1.15Kg)
Dimensions	4.5" W x 11" L x 2.5" D

Ordering

	Part Number
Paladin 1300 DIY home pack	4303